

AUSTRALIAN ORCHIDACEAE: CURRENT GENERA AND SPECIES LIST (13/6/2008)

This is a list of the currently accepted scientific names for Australian orchids. The list includes exotic orchids (marked with an *) that have become naturalised in parts of Australia. The also includes exotic species misinterpreted as occurring in Australia (marked with **).

Abaxianthus M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 485 (2002). Type species: *Desmotrichum convexum* Blume.

Abaxianthus convexa (Blume) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 485 (2002).

Acianthella D.L.Jones et M.A.Clem., *Orchadian* 14(7): 331 (Mar. 2004). Type species: *Microstylis amplexicaulis* F.M.Bailey.

Acianthella amplexicaulis (F.M.Bailey) D.L.Jones et M.A.Clem., *Orchadian* 14(7): 331 (Mar. 2004).

Acianthella sublestus (Dockrill) D.L.Jones et M.A.Clem., *Orchadian* 14(7): 331 (Mar. 2004).

Acianthus R.Br., *Prod.* 321 (1810). Type species: *Acianthus exsertus* R.Br., *fide* (Hallé 1977).

Acianthus apprimus D.L.Jones, *Austral. Orch. Res.* 2: 5, t., f. 2 (1991).

Acianthus borealis D.L.Jones, *Austral. Orch. Res.* 2: 5-6, t., f. 3 (1991).

Acianthus collinus D.L.Jones, *Austral. Orch. Res.* 2: 6-7, t., f. 4 (1991).

Acianthus exiguus D.L.Jones, *Austral. Orch. Res.* 2: 7, t., f. 5 (1991).

Acianthus exsertus R.Br., *Prod.* 321 (1810).

Acianthus fornicatus R.Br., *Prod.* 321 (1810).

Acianthus ledwardii Rupp, *Queensland Naturalist* 10: 113, t. (1938).

Acianthus pusillus D.L.Jones, *Austral. Orch. Res.* 2: 7-8, t., f. 5 (1991).

Acriopsis Reinw. ex Blume, *Bijdr.* 6: t. 2; 8: 376 (1825). Type species: *Acriopsis javanica* Reinw. ex Blume.

Acriopsis emarginata D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 3-4, f.1.1 (21 Dec. 2006).

Adelopetalum Fitzg., *J. Bot.* 29: 152 (May 1891). Type species: *Adelopetalum bracteatum* Fitzg.

Adelopetalum argyropus (Endl.) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adelopetalum boonjee (B.Gray et D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adelopetalum bracteatum Fitzg., *J. Bot.* 29: 152 (1891).

Adelopetalum elisae (F.Muell.) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adelopetalum exiguum (F.Muell.) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adelopetalum lageniforme (F.M.Bailey) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adelopetalum lilianiae (Rendle) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adelopetalum newportii (F.M.Bailey) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adenochilus Hook.f., *Fl. nov.-zel.* 1: 246, t. 56 (1853). Type species: *Adenochilus gracilis* Hook.f.

Adenochilus nortonii Fitzg., *Austral. orch.* 1(2): [t. 2] (1876).

Anoectochilus Blume, *Bijdr.* 8: 411, t. 15 (1825)(nom. et orth. cons.). Type species: *Anoectochilus setaceus* (Blume)Lindl., (*Anecochilus* Blume, *nom. illeg.*)(type cons.).

Anoectochilus yatesiae F.M.Bailey, *Queensland Agric. J.* 19: 148 (1907).

Anzybas D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002). Type species: *Corysanthes unquiculata* R.Br.

Anzybas abditus (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002).

Anzybas fordhamii (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002).

Anzybas montanus (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002).

Anzybas unquiculatus (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002).

Aphyllorchis Blume, *Tab. Pl. Jav. Orch.* t. 77 (1825). Type species: *Aphyllorchis pallida* Blume.

Aphyllorchis anomala Dockrill, *Orchadian* 1: 116, f. (1965).

Aphyllorchis queenslandica Dockrill, *Orchadian* 1: 115, f. (1965).

Aporopsis (Schltr.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 485 (2002). Type species: *Dendrobium macfarlanei* F.Muell.

Aporopsis macfarlanei (F.Muell.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 485 (2002).

Apostasia Blume, *Bijdr.* 6: f. 39; 8: 423 (20 Sept.-7 Dec 1825). Type species: *Apostasia odorata* Blume.
Apostasia stylidioides (F.Muell.) Rchb.f., *Flora* 55: 278 (1872).

Appendicula Blume, *Bijdr.* 297 (20 Sept.-7 Dec 1825). Type species: *Appendicula alba* Blume, *fide* (Hallé 1977).

Appendicula australiensis (F.M.Bailey) Schltr., *Repert. Spec. Nov. Regni Veg. Beih.* 1: 336 (1911) (as 'australis').

Arachnorchis D.L.Jones et M.A.Clem., *Orchadian* 13(9): 392 (Oct. 2001). Type species: *Caladenia patersonii* R.Br.

Arachnorchis actensis (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 392 (Oct. 2001).

Arachnorchis aestiva (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 392 (Oct. 2001).

Arachnorchis amnicola (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 392 (Oct. 2001).

Arachnorchis amoena (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 392 (Oct. 2001).

Arachnorchis ampla D.L.Jones, *Austral. Orchid. Res.* 5: 50-51, t. (21 Dec. 2006).

Arachnorchis ancylosa D.L.Jones, *Austral. Orchid. Res.* 5: 51-52, t. (21 Dec. 2006).

Arachnorchis anthracina (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 392 (Oct. 2001).

Arachnorchis applanata (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *applanata*, *Orchadian* 13(10): 451 (2002).

Arachnorchis applanata subsp. *erubescens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).

Arachnorchis arenaria (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 392, t. (Oct. 2001).

Arachnorchis arenicola (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).

Arachnorchis argocalla (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 392 (Oct. 2001).

Arachnorchis armata D.L.Jones, *Austral. Orchid. Res.* 5: 52 (21 Dec. 2006).

Arachnorchis arrecta (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).

Arachnorchis atroclavia (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).

Arachnorchis atrovespa D.L.Jones, *Orchadian* 15(12): 546 (June 2008).

Arachnorchis attingens (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *attingens*, *Orchadian* 13(10): 451 (2002).

Arachnorchis attingens subsp. *gracillima* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).

Arachnorchis audasii (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).

Arachnorchis australis (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).

Arachnorchis behrii (Schldl.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).

Arachnorchis brachyscapa (G.W.Carr.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).

Arachnorchis branwhitei D.L.Jones, *Austral. Orchid. Res.* 5: 46-47, f.3.1 (21 Dec. 2006).

Arachnorchis brownii (Hopper) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).

Arachnorchis brumalis (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).

Arachnorchis bryceana (R.S.Rogers) D.L.Jones et M.A.Clem. subsp. *bryceana*, *Orchadian* 13(9): 393 (Oct. 2001).

Arachnorchis bryceana subsp. *cracens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).

Arachnorchis busselliana (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).

Arachnorchis cadyi D.L.Jones, *Austral. Orchid. Res.* 5: 52-53 (21 Dec. 2006).

Arachnorchis calcicola (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).

Arachnorchis callitrophila (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).

- Arachnorchis cardiochila* (Tate) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis caudata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis christineae* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).
- Arachnorchis citrina* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).
- Arachnorchis clavescens* D.L.Jones, *Austral. Orchid. Res.* 5: 47-48, f.3.1, t. (21 Dec. 2006).
- Arachnorchis clavigera* (A.Cunn. ex Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis clavula* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis colorata* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis concinna* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis concolor* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis conferta* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis corynephora* (A.S.George) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis crebra* (A.S.George) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis cremna* D.L.Jones, *Austral. Orchid. Res.* 5: 53-54 (21 Dec. 2006).
- Arachnorchis cretacea* D.L.Jones, *Austral. Orchid. Res.* 5: 58-59, t. (21 Dec. 2006).
- Arachnorchis cruciformis* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis cruscula* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).
- Arachnorchis decora* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).
- Arachnorchis dienema* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis dilatata* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis discoidea* (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis douglasiorum* D.L.Jones, *Austral. Orchid. Res.* 5: 53-54, t. (21 Dec. 2006).
- Arachnorchis drummondii* (Benth.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis echidnachila* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis ensata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis ensigera* D.L.Jones, *Austral. Orchid. Res.* 5: 59-60 (21 Dec. 2006).
- Arachnorchis excelsa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis exstans* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis falcata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis ferruginea* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis fitzgeraldii* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis flavovirens* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis flindersica* D.L.Jones, *Austral. Orchid. Res.* 5: 60-61, t. (21 Dec. 2006).
- Arachnorchis formosa* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis fragrantissima* (D.L.Jones et G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis fuliginosa* D.L.Jones, *Austral. Orchid. Res.* 5: 61-62 (21 Dec. 2006).
- Arachnorchis fulva* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis gardneri* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis georgei* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis gladiolata* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis graminifolia* (A.S.George) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis grampiana* D.L.Jones, *Austral. Orchid. Res.* 5: 62, t. (21 Dec. 2006).
- Arachnorchis graniticola* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
- Arachnorchis granitora* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis harringtoniae* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis hastata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis heberleana* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis helvina* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis hirta* (Lindl.) D.L.Jones et M.A.Clem. subsp. *hirta*, *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis hirta* subsp. *rosea* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis hoffmanii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis huegelii* (Rchb.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis infundibularis* (A.S.George) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).

- Arachnorchis insularis* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis integra* (E.Coleman) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis interjacens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis intuta* D.L.Jones, *Orchadian* 14(12): 561-562, t. (2002).
- Arachnorchis leptochila* (Fitzg.) D.L.Jones et M.A.Clem. subsp. *dentata* D.L.Jones, *Austral. Orchid. Res.* 5: 62-63, f.3.2 (21 Dec. 2006).
- Arachnorchis leptochila* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis leptoclavia* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis lindleyana* (Rchb.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis lobata* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis lodgeana* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* (Lindl.) D.L.Jones et M.A.Clem. subsp. *longicauda*, *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis longicauda* subsp. *albella* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *australora* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *borealis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *calcigena* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *clivicola* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *crassa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longicauda* subsp. *eminens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longicauda* subsp. *merrittii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longicauda* subsp. *redacta* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longicauda* subsp. *rigidula* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longiclavata* (E.Coleman) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis longifimbriata* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis lorea* (Hopper et A.P.Br.) (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis lowanensis* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis macroclavia* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis macrostylis* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis magniclavata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis magnifica* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis montana* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis necrophylla* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis nivalis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis oenochila* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis orestes* D.L.Jones, *Austral. Orchid. Res.* 5: 48-49, t. (21 Dec. 2006).
- Arachnorchis orientalis* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis osmera* D.L.Jones, *Austral. Orchid. Res.* 5: 56-57, t. (21 Dec. 2006).
- Arachnorchis ovata* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis pallida* (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis paludosa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis parva* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis patersonii* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis pectinata* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).

- Arachnorchis peisleyi* D.L.Jones, Austral. Orchid. Res. 5: 57, t. (21 Dec. 2006).
- Arachnorchis phaeoclavia* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis pholcoidea* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *pholcoidea*, Orchadian 13(10): 453 (2002).
- Arachnorchis pholcoidea* subsp. *angustaensis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis pilotensis* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis plicata* (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis procera* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis pumila* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis radiata* (Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis reticulata* (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis rhomboidiformis* (E.Coleman) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis richardsiorum* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis rigens* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis rigida* (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis rileyi* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis robinsonii* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis rosella* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis saggicola* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis saxatilis* D.L.Jones, Austral. Orchid. Res. 5: 63-64, t. (21 Dec. 2006).
- Arachnorchis septuosa* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis serotina* (Hopper & A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(3): 126 (2003).
- Arachnorchis speciosa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis splendens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis starteorum* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis stellata* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis stricta* (R.J.Bates) D.L.Jones et M.A.Clem., Orchadian 13(9): 396 (Oct. 2001).
- Arachnorchis strigosa* D.L.Jones, Austral. Orchid. Res. 5: 57-58 (21 Dec. 2006).
- Arachnorchis subtilis* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis tensa* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis tentaculata* (Schldl.) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis tessellata* (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis thinicola* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis thysanochila* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis toxochila* (Tate) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis uliginosa* (A.S.George) D.L.Jones et M.A.Clem. subsp. *uliginosa*, Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis uliginosa* subsp. *candicans* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 453 (2002).
- Arachnorchis uliginosa* subsp. *patulens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 454 (2002).
- Arachnorchis valida* (Nicholls) D.L.Jones et M.A.Clem., Orchadian 14(3): 126 (2003).
- Arachnorchis venusta* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis verrucosa* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis versicolor* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis villosissima* (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis viridescens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 454 (2002).
- Arachnorchis whiteheadii* D.L.Jones, Austral. Orchid. Res. 5: 64-65 (21 Dec. 2006).
- Arachnorchis williansiae* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 454 (2002).
- Arachnorchis winfieldii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 454 (2002).
- Arachnorchis woolcockiorum* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis xanthochila* (D.Beardsell et C.Beardsell) D.L.Jones et M.A.Clem., Orchadian 13(9): 400 (Oct. 2001).
- Arachnorchis zephyra* D.L.Jones, Austral. Orchid. Res. 5: 65, t. (21 Dec. 2006).

Arachnorchis ×*aestantha* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
Arachnorchis ×*cala* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
Arachnorchis ×*coactescens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
Arachnorchis ×*exserta* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
Arachnorchis ×*hypata* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
Arachnorchis ×*suffusa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
Arachnorchis ×*variabilis* (Nicholls) J.Jeanes, *Muelleria* 16: 81 (2002).

Arthrochilus F.Muell., *Fragm.* 1: 42 (1858). Type species: *Arthrochilus irritabilis* F.Muell.

Arthrochilus apectus D.L.Jones, *Orchadian* 14(8): Sci. Suppl. i-ii (June 2004).
Arthrochilus aquilus D.L.Jones, *Orchadian* 14(8): Sci. Suppl. ii-iii (June 2004).
Arthrochilus corinnae D.L.Jones, *Orchadian* 14(8): Sci. Suppl. iii-iv (June 2004).
Arthrochilus irritabilis F.Muell., *Fragm.* 1: 43 (1858).
Arthrochilus latipes D.L.Jones, *Austral. Orch. Res.* 2: 8-9, f. 7 (1991).
Arthrochilus oreophilus D.L.Jones, *Austral. Orch. Res.* 2: 9-10, f. 8 (1991).
Arthrochilus prolixus D.L.Jones, *Austral. Orch. Res.* 2: 10, f. 9 (1991).
Arthrochilus rosulatus D.L.Jones, *Austral. Orch. Res.* 2: 10-11, f. 10 (1991).
Arthrochilus sabulosus D.L.Jones, *Austral. Orch. Res.* 2: 11-12, f. 11 (1991).
Arthrochilus stenophyllus D.L.Jones, *Austral. Orch. Res.* 2: 12-13, f. 12 (1991).

**Arundina* Blume, *Bijdr.* 6: t. 2; 8: 401 (1825). Type species: *Arundina speciosa* Blume.

**Arundina graminifolia* (D.Don) Hochr., *Bull. New York Bot. Gard.* 6: 270 (1910).

Australorchis Brieger, *Schlechter Orchideen* (ed. 3), 1: 741 (1981). Type species: *Dendrobium monophyllum* F.Muell.

Australorchis carrii (Rupp et C.T.White) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 485 (2002).
Australorchis eungellensis D.L.Jones et M.A.Clem., *Orchadian* 13(11): 485 (2002).
Australorchis monophylla (F.Muell.) Brieger, *Schlechter Orchideen* (ed. 3), 1(11–12): 741 (1981).
Australorchis schneiderae (F.M.Bailey) Brieger, *Schlechter Orchideen* (ed. 3), 1(11–12): 741 (1981).

Blepharochilum M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 499 (2002). Type species: *Bulbophyllum purpurascens* F.M.Bailey, *nom. illeg., non* Teijsm. et Binnend. (1862).

Blepharochilum macphersonii M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 499 (2002).
Blepharochilum sladeanum M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 499 (2002).

Brachypeza Garay, *Bot. Mus. Leafl. Harv. Uni.* 23 (4): 164 (1972). Type species: *Saccolabium archytas* Ridl.

Brachypeza archytas (Ridl.) Garay, *Bot. Mus. Leafl. Harv. Uni.* 23(4): 164 (1972).

Bromheadia Lindl. in Edwards's, *Bot. Reg.* 27: Misc. 89 (1841). Type species: *Bromheadia palustris* Lindl. (*Grammatophyllum finlaysonianum* Lindl. = *Bromheadia findlaysoniana* (Lindl.) Miq.).

Bromheadia pulchra Schltr., *Repert. Spec. Nov. Regni Veg. Beih.* 1: 367 (1912).

Bryobium Lindl., *Nat. Syst.* (ed. 2), 446 (July? 1836), *nom. nud.*; in Edwards's, *Bot. Reg.* 24 (Misc.): 79 (Oct. 1838). Type species: *Bryobium pubescens* Lindl.

Bryobium eriaeoides (F.M.Bailey) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 501 (2002).
Bryobium intermedium (Dockrill) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 88 (2006).
Bryobium irukandjianum (St.Cloud) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 501 (2002).
Bryobium queenslandicum (T.E.Hunt) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 501 (2002).
Bryobium retusum (Blume) Y.P.Ng et P.J.Cribb, *Orchid Rev.* 113(1265): 272 (2005).

Bunochilus D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 67 (2002). Type species: *Pterostylis longifolia* R.Br.

Bunochilus barringtonensis D.L.Jones, *Austral. Orchid. Res.* 5: 121, f.4.3, t. (21 Dec. 2006).

- Bunochilus chlorogrammus* (D.L.Jones et M. A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).
- Bunochilus chocolatinus* D.L.Jones, Austral. Orchid. Res. 5: 122-123, f.4.4, t. (21 Dec. 2006).
- Bunochilus crassus* D.L.Jones, Austral. Orchid. Res. 5: 127, f. 4.5 (21 Dec. 2006).
- Bunochilus diminutus* D.L.Jones, Austral. Orchid. Res. 5: 120-121, f. 4.3 (21 Dec. 2006).
- Bunochilus flavovirens* D.L.Jones, Austral. Orchid. Res. 5: 132, f. 4.6 (21 Dec. 2006).
- Bunochilus lineatus* D.L.Jones, Austral. Orchid. Res. 5: 121-122, f. 4.3 (21 Dec. 2006).
- Bunochilus littoralis* D.L.Jones, Austral. Orchid. Res. 5: 133, f. 4.6 (21 Dec. 2006).
- Bunochilus loganii* D.L.Jones, Austral. Orchid. Res. 5: 119-120, f. 4.3 (21 Dec. 2006).
- Bunochilus longifolius* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).
- Bunochilus macilentus* D.L.Jones, Austral. Orchid. Res. 5: 117-118, f.4.2, t. (21 Dec. 2006).
- Bunochilus macrosepalus* D.L.Jones, Austral. Orchid. Res. 5: 125-126, f.4.4, 4.7, t. (21 Dec. 2006).
- Bunochilus majus* D.L.Jones, Austral. Orchid. Res. 5: 115-116, f. 4.2, 4.7 (21 Dec. 2006).
- Bunochilus melagrammus* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).
- Bunochilus montanus* D.L.Jones, Austral. Orchid. Res. 5: 118-119, f. 4.3 (21 Dec. 2006).
- Bunochilus parvus* D.L.Jones, Austral. Orchid. Res. 5: 123, f. 4.4 (21 Dec. 2006).
- Bunochilus prasinus* D.L.Jones, Austral. Orchid. Res. 5: 133-134, f. 4.6 (21 Dec. 2006).
- Bunochilus smaragdinus* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).
- Bunochilus stenochilus* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).
- Bunochilus stenosepalus* D.L.Jones, Austral. Orchid. Res. 5: 130, f.4.6, 4.7, t. (21 Dec. 2006).
- Bunochilus tenuis* D.L.Jones, Austral. Orchid. Res. 5: 127-128, f.4.5, t. (21 Dec. 2006).
- Bunochilus tunstallii* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).
- Bunochilus umbrinus* D.L.Jones, Austral. Orchid. Res. 5: 126-127, f. 4.5 (21 Dec. 2006).
- Bunochilus viriosus* D.L.Jones, Austral. Orchid. Res. 5: 129-130, f.4.5, t. (21 Dec. 2006).
- Bunochilus vitreus* D.L.Jones, Austral. Orchid. Res. 5: 116-117, f.4.2, t. (21 Dec. 2006).
- Bunochilus williamsonii* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).
- Burnettia* Lindl., Gen. sp. orchid. pl. 517 (1840).Type species: *Burnettia cuneata* Lindl.
- Burnettia cuneata* Lindl., Gen. sp. orchid. pl. 518 (1840).
- Cadetia* Gaud. in Freycinet, Voy. Uranie 422, t. 33 (1826).Type species: *Cadetia umbellatum* Gaud.
- Cadetia clausa* D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 4, f.1.4 (21 Dec. 2006).
- Cadetia collinsii* Lavarack, Austrobaileya 1(4): 381-2, f. 23a (1981).
- Cadetia maideniana* (Schltr.) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 1: 424 (1912).
- Cadetia taylori* (F.Muell.) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 1: 424 (1912).
- Caladenia* R.Br., Prod. 323 (1810).Type species: *Caladenia flava* R.Br., *fide* Pfitzer (1889), see Jones *et al.* (2001), *non Caladenia catenata* (Sm.) Druce (N.Hallé 1977), *nec Caladenia carnea* R.Br. (Clements 1989).
- Caladenia flava* R.Br. subsp. *flava*, Prod. 324 (1810).
- Caladenia flava* subsp. *maculata* Hopper et A.P.Br., Nuytsia 14(1/2): 176-177, f. 30M-P, 33B (24 Sept. 2001).
- Caladenia flava* subsp. *sylvestris* Hopper et A.P.Br., Nuytsia 14(1/2): 177-178, f. 38A-D, 33B (24 Sept. 2001).
- Caladenia latifolia* R.Br., Prod. 324 (1810).
- Caladenia marginata* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. li (1840).
- Caladenia nana* Endl. in Lehm., Pl. Preiss. 2: 7 (1846).
- Caladenia petrensis* A.P.Br., Nuytsia 17: 74-77, f. 1A, 2 (Dec. 2007).
- Caladenia reptans* Lindl. subsp. *reptans* in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. lii (1840).
- Caladenia reptans* subsp. *impensa* Hopper et A.P.Br., Nuytsia 14(1/2): 185-186, f. 33D (24 Sept. 2001).
- Caladenia saxicola* A.P.Br., Nuytsia 17: 77-78, f. 1B, 2 (Dec. 2007).
- Caladenia unita* Fitzg., Gard. Chron. (new ser.), 17: 461 (1882).
- Caladenia xeludens* Hopper et A.P.Br., Nuytsia 14(1/2): 288, f. 72B, 71D (24 Sept. 2001).

Caladenia xenigma Hopper et A.P.Br., Nuytsia 14(1/2): 288, 290, f. 73A (24 Sept. 2001).
Caladenia xerminae Hopper et A.P.Br., Nuytsia 14(1/2): 291, f. 71D, 73C (24 Sept. 2001).
Caladenia xidiastes Hopper et A.P.Br., Nuytsia 14(1/2): 295-296, f. 74C (24 Sept. 2001).
Caladenia xspectabilis Hopper et A.P.Br., Nuytsia 14(1/2): 299-300, f. 77C (24 Sept. 2001).
Caladenia xtriangularis R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 10 (1927).

Calanthe R.Br. ex Ker.-Gawl. in Edwards's, Bot. Reg. 7: sub t. 573 (1 Oct. 1821), *nom. cons.* Type species: *Calanthe veratrifolia* Ker-Gawl. (1823), *nom. illeg.* (*Limodorum veratrifolium* Willd., *nom. illeg.*, *Orchis triplicata* Willemet) = *Calanthe triplicata* (Willemet) Ames, *fide* Taxon 31: 543 (1982).
Calanthe australasica D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 8 (21 Dec. 2006).

Caleana R.Br., Prod. 329 (1810). Type species: *Caleana major* R.Br.
Caleana major R.Br., Prod. 329 (1810).

Calochilus R.Br., Prod. 320 (1810). Type species: *Calochilus paludosus* R.Br., *fide* Clements (1989).

Calochilus ammobius D.L.Jones et B.Gray, Orchadian 14(2): 85-86, f.1, t. (Jan. 2003).
Calochilus caeruleus L.O.Williams, Bot. Mus. Leaf., Harv. Uni. 12(5): 151-2, t. 22 (1946).
Calochilus caesius D.L.Jones, Orchadian 14(8): Sci. Suppl. iv-v (June 2004).
Calochilus campestris R.Br., Prod. 320 (1810).
Calochilus cleistanthus D.L.Jones, Orchadian 14(8): Sci. Suppl. v (June 2004).
Calochilus gracillimus Rupp, Victorian Naturalist 60: 28 (1943).
Calochilus grandiflorus (Benth.) Domin, Bibl. Bot., Stuttgart Heft. 85: 551 (1915).
Calochilus herbaceus Lindl., Gen. sp. orchid. pl. 459 (1840).
Calochilus holtzei F.Muell., Bot. Centralbl. 50: 127 (1892).
Calochilus imperiosus D.L.Jones, Orchadian 14(8): Sci. Suppl. v-vi (June 2004).
Calochilus metallicus D.L.Jones, Orchadian 14(8): Sci. Suppl. vi-vii (June 2004).
Calochilus montanus D.L.Jones, Austral. Orchid. Res. 5: 66, f.3.3, t. (21 Dec. 2006).
Calochilus paludosus R.Br., Prod. 320 (1810).
Calochilus platyphilus D.L.Jones, Orchadian 15(12): 547, t. (June 2008).
Calochilus praeltus D.L.Jones, Austral. Orchid. Res. 5: 66, f.3.4 (21 Dec. 2006).
Calochilus pruinosis D.L.Jones, Austral. Orchid. Res. 5: 67-68 (21 Dec. 2006).
Calochilus pzednus D.L.Jones et Lavarack, Proc. Roy. Soc. Queensl. 100: 101-103, f.1 (1989).
Calochilus pulchellus D.L.Jones, Austral. Orchid. Res. 5: 68-69 (21 Dec. 2006).
Calochilus richiae Nicholls, Victorian Naturalist 45: 233, t. 9 (1929).
Calochilus robertsonii Benth., Fl. Austral. 6: 315 (1873).
Calochilus russeus D.L.Jones, Orchadian 14(8): Sci. Suppl. vii-viii (June 2004).
Calochilus sandrae D.L.Jones, Austral. Orchid. Res. 5: 69-70, f.3.5 (21 Dec. 2006).
Calochilus saprophyticus R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 54: 41 (1930).
Calochilus stramenicola D.L.Jones, Austral. Orchid. Res. 5: 70-71, t. (21 Dec. 2006).
Calochilus therophilus D.L.Jones, Austral. Orchid. Res. 5: 71-72, f.3.6 (21 Dec. 2006).
Calochilus uliginosus D.L.Jones, Austral. Orchid. Res. 5: 72-73 (21 Dec. 2006).

Carparomorchis M.A.Clem. et D.L.Jones, Orchadian 13(11): 499 (2002). Type species: *Bulbophyllum macranthum* Lindl.

Carparomorchis baileyi (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 498 (2002).

Cepobaculum M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002). Type species: *Dendrobium canaliculatum* R.Br.

Cepobaculum canaliculatum (R.Br.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).
Cepobaculum carronii (Lavarack et P.J.Cribb) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).
Cepobaculum foelschei (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).
Cepobaculum johannis (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).
Cepobaculum semifusum (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).
Cepobaculum tattonianum (Bateman ex Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).
Cepobaculum trilamellatum (J.J.Sm.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

Ceraia Lour., Fl. Cochinch. 2: 518 (1790) (as '*Ceraja*'). Type species: *Ceraia simplicissima* Lour.
Ceraia saaronica (J.König) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

Ceratobium (Lindl.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002). Type species: *Dendrobium antennatum* Lindl.
Ceratobium dalbertisii (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

Cestichis Thouars ex Pfitzer, Entwurf Natürl. Anordn. Orchid. 56 (1887). Type species: *Malaxis caespitosa* Thouars, *vide* Jones and Clements (2005).

Cestichis angustilabris (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).
Cestichis bracteata (T.E.Hunt) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).
Cestichis coelogynoides (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).
Cestichis condylobulbon (Rchb.f.) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).
Cestichis fleckeri (Nicholls) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).
Cestichis nugentiae (F.M.Bailey) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).
Cestichis reflexa (R.Br.) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).
Cestichis swenssonii (F.M.Bailey) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).

Cheirostylis Blume, Bijdr. 6: 413, t. 1, f. 16 (1825). Type species: *Cheirostylis montana* Blume.
Cheirostylis notialis D.L.Jones, Muellera 10: 75-83, f.3 (1997).
Cheirostylis ovata (Bailey) Schltr., Bot. Jahrb. Syst. 45: 394 (1911).

Chiloglottis R.Br., Prod. 322-323 (1810). Type species: *Chiloglottis diphylla* R.Br.
Chiloglottis anaticeps D.L.Jones, Austral. Orch. Res. 2: 37, f. 44 (1991).
Chiloglottis diphylla R.Br., Prod. 323 (1810).
Chiloglottis longiclavata D.L.Jones, Austral. Orch. Res. 2: 38-39, f. 46 (1991).
Chiloglottis palachila D.L.Jones, Austral. Orch. Res. 2: 39, f. 47 (1991).
Chiloglottis reflexa (Labill.) Druce, Rep. Bot. Exch. Cl. Brit. Isles Suppl. 2: 614 (1917).
Chiloglottis seminuda D.L.Jones, Austral. Orch. Res. 2: 41, f. 50 (1991).
Chiloglottis sphaerula D.L.Jones, Austral. Orchid. Res. 5: 73-74, f.3.7 (21 Dec. 2006).
Chiloglottis sphyrnoides D.L.Jones, Austral. Orch. Res. 2: 41-42, f. 51 (1991).
Chiloglottis sylvestris D.L.Jones et M.A.Clem., Proc. Roy. Soc. Queensland 98: 123-4, f. 1 (1987).
Chiloglottis trilabra Fitzg., J. Bot. 21: 204 (1883).

Chiloschista Lindl. in Edwards's, Bot. Reg. 18: sub t. 1522 (1832). Type species: *Epidendrum usneoides* D.Don.
Chiloschista phyllorhiza (F.Muell.) Schltr., Bot. Jahrb. Syst. 56: 492 (1921).

Chiloterus D.L.Jones et M.A.Clem., Orchadian 14(8); Suppl. xiii (2004). Type species: *Prasophyllum cucullatum* Rchb.f.
Chiloterus cucullatus (Rchb.f.) D.L.Jones et M.A.Clem., Orchadian 14(8); Suppl. xiii (2004).
Chiloterus gibbosus (R.Br.) D.L.Jones et M.A.Clem., Orchadian 14(8); Suppl. xiii (2004).

Cirrhopetalum Lindl. in Edwards's, Bot. Reg. 10: sub t. 832 (1824), *nom.*; Gen. sp. orchid. pl. 45, 58 (May 1830), *nom. cons.* Type species: *Bulbophyllum longiflorum* Thouars (= *Cirrhopetalum thouarsii* Lindl., *nom. illeg.*).
Cirrhopetalum clavigerum Fitzg., J. Bot. 21: 204 (1883).
Cirrhopetalum gracillimum Rolfe, Kew Bull. 34 (1895).

Coelandria Fitzg., Austral. Orch. 1(7): [t. 2] (1882). Type species: *Coelandria smillieae* (F.Muell.) Fitzg.
Coelandria smillieae (F.Muell.) Fitzg., Austral. Orch. 1(7): t. 2 (1882).

Conostalix (Kraenzl.) Brieger, Schlechter Orchideen (ed. 3), 1(11-12): 659 (July 1981). Type species: *Dendrobium calcaratum* Lindl. (1840), *non* A.Rich (1834[22]).

Conostalix paludicola (Schltr.) Rauschert, Feddes Repert. 94(7–8): 444 (1983).

Cooktownia D.L.Jones, *Austrobaileya* 5(1): 71-78 (1997). Type: *Cooktownia roberstii* D.L.Jones.

Cooktownia roberstii D.L.Jones, *Austrobaileya* 5(1): 74-77 (1997).

Corunastylis Fitzg., *Austral. orch.* 2(3): [t. 1] (1888). Type species: *Corunastylis apostasioides* Fitzg.

Corunastylis acuminata (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis alticola (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis anthracina D.L.Jones, *Austral. Orchid. Res.* 5: 74, f. 3.8 (21 Dec. 2006).

Corunastylis apostasioides Fitzg., *Austral. orch.* 2(3): [t. 1] (1888).

Corunastylis archeri (Hook.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis arrecta (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis bishopii (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis brachystachya (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis ciliata (Ewart et B. Rees) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis citriodora (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis clivicola D.L.Jones, *Orchadian* 15(7): 322-323, f. 1 (2007).

Corunastylis conferta (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis cornuta D.L.Jones, *Orchadian* 15(12): 547, 550, t. (June 2008).

Corunastylis cranei (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis densa (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 37 (2005).

Corunastylis despectans (Hook.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis ectopa (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis eriochila (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis filiformis (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis fimbriata (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).

Corunastylis firthii (L.Cady) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis formosa (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis insignis (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis laminata (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiii (June 2004).

Corunastylis littoralis (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis morina (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis morrisii (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis nigricans (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis nuda (Hook.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis nudiscapa (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis oligantha (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis ostrina (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 502 (2002).

Corunastylis parvicalla (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis pedersonii (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis plumosa (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis psammophila (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis pumila (Hook.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis rhyolitica (D.L.Jones et M.A. Clem) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis rufa (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis ruppii (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis sagittifera (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis sigmoidea (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis simulans (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).

Corunastylis superba (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).

Corunastylis systema (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).

Corunastylis tasmanica (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).

Corunastylis tecta (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).

Corunastylis tepperi (F.Muell. ex Tepper) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).

Corunastylis trifida (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiii (June 2004).

Corunastylis turfosa (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).
Corunastylis valida (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).
Corunastylis vernalis (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).
Corunastylis woollsii (F.Muell.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).

Corybas Salisb., *Parad. Lond. t. 83* (1807). Type species: *Corybas aconitiflorus* Salisb.

Corybas abellianus Dockrill *North Queensland Naturalist* 24(112): 1-2, f. (1955).
Corybas aconitiflorus Salisb., *Parad. Lond. t. 83* (1807).
Corybas barbarae D.L.Jones, *Austrobaileya* 2(5): 548-50, f. 1D, E & F (1988).
Corybas cerasinus D.L.Jones et B.Gray, *Orchadian* 13(8): 341-342, f. (2001).
Corybas dowlingii D.L.Jones, *Orchadian* 14(9): 419-420, f.1 (2004).
Corybas undulatus (A.Cunn.) Rupp, *Proc. Linn. Soc. New South Wales* 53: 551 (1928).

Corymborkis Thouars, *Nouv. Bull. Sci. Soc. Philom. Paris* 1: 518 (1809). Type species: *Corymborkis corymbis* Thouars.

Corymborkis veratrifolia (Reinw.) Blume., *Orchid. Arch. Ind.* 125, t. 42, f. E; t. 43, f. 1 (1858).

Corysanthes R.Br., *Prod.* 328 (1810). Type species: *Corysanthes fimbriata* R.Br.

Corysanthes dentata (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).
Corysanthes despectans (D.L.Jones et R.C. Nash) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).
Corysanthes diemenica Lindl., *Gen. sp. orchid. pl.* 393 (1840).
Corysanthes dilatata Rupp et Nicholls, *Proc. Linn. Soc. New South Wales* 53(1): 87-88, t. 12 (1928).
Corysanthes expansa (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).
Corysanthes fimbriata R.Br., *Prod.* 328 (1810).
Corysanthes grumula D.L.Jones, *Orchadian* 15(12): 550, t. (June 2008).
Corysanthes hispida (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).
Corysanthes incurva (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).
Corysanthes limpida (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).
Corysanthes pruinosa A.Cunn. in *Lhotsky, New South Wales Mag.* 1: 41 (1833).
Corysanthes recurva (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).
Corysanthes xmiscella (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 447 (2002).

Crangonorchis D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 71 (2002). Type species: *Pterostylis pedoglossa* Fitzg.

Crangonorchis depauperata (F.M.Bailey) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 71 (2002).
Crangonorchis pedoglossa (Fitzg.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 71 (2002).

Crepidium Blume, *Bijdr.* 8: 387, f. (1825). Type species: *Crepidium rhedii* Blume.

Crepidium acuminatum (D.Don) Szlach., *Fragm. Flor. Geobot., Supp.* 3: 123 (1995).
Crepidium fimbriatum (Lavarack) Szlach., *Fragm. Flor. Geobot., Supp.* 3: 126 (1995).
Crepidium flavovirens D.L.Jones et M.A.Clem., *Novon*, 7(4): 376 (1998).
Crepidium fontinale D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 8-9, f.1.8, t. (21 Dec. 2006).
Crepidium lawleri (Lavarack et B.Gray) Szlach., *Fragm. Flor. Geobot., Supp.* 3: 128 (1995).
Crepidium marsupichilum (Upton) Szlach., *Fragm. Flor. Geobot., Supp.* 3: 129 (1995).

Cryptostylis R.Br., *Prod.* 317 (1810). Type species: *Cryptostylis erecta* R.Br., *fide* N.Hallé (1977).

Cryptostylis erecta R.Br., *Prod.* 317 (1810).
Cryptostylis hunteriana Nicholls, *Victorian Naturalist* 54: 182, t. 18 (1938).
Cryptostylis leptochila Benth., *Fl. Austral.* 6: 334 (1873).
Cryptostylis ovata R.Br., *Prod.* 317 (1810).
Cryptostylis subulata (Labill.) Rchb.f., *Beitr. Syst. Pflanzenk.* 15 (1871).

Cyanicula Hopper et A.P.Br., *Lindleyana* 15(2): 120 (2000). Type species: *Caladenia gemmata* Lindl.

Cyanicula amplexans (A.S.George) Hopper et A.P.Br., *Lindleyana* 15(2): 120 (2000).
Cyanicula aperta Hopper et A.P.Br., *Austral. Syst. Bot.* 17: 229, f. 13 (2004).

Cyanicula ashbyae Hopper et A.P.Br. in N.Hoffman et A.P.Br., Lindleyana 15(2): 120-121 (2000).
Cyanicula caerulea (R.Br.)Hopper et A.P.Br., Lindleyana 15(2): 121 (2000).
Cyanicula fragrans Hopper et A.P.Br., Lindleyana 15(2): 121-123 (2000).
Cyanicula gemmata (Lindl.) Hopper et A.P.Br., Lindleyana 15(2): 123 (2000).
Cyanicula gertrudiae (Ostenf.) Hopper et A.P. Br., Lindleyana 15(2): 123 (2000).
Cyanicula ixioides (Lindl.) Hopper et A.P.Br. subsp. *ixioides*, Lindleyana 15(2): 123 (2000).
Cyanicula ixioides subsp. *candida* Hopper et A.P.Br., Austral. Syst. Bot. 17: 225 (2004).
Cyanicula nikulinskyae Hopper et A.P.Br., Lindleyana 15(2): 123-124 (2000).
Cyanicula sericea (Lindl.) Hopper et A.P. Br., Lindleyana 15(2): 124 (2000).

Cymbidium Sw., Nov. Act. Soc. Sci. Upsal. 6: 70 (1799).Type species: *Cymbidium aloifolium* (L.) Sw.
Cymbidium canaliculatum R.Br., Prod. 331 (1810).
Cymbidium madidum Lindl. in Edwards's, Bot. Reg. 26: Misc. 34, [no. 6, pp 9-10] (1839).
Cymbidium suave R.Br., Prod. 331 (1810).

Cyrtostylis R.Br., Prod. 322 (1810).Type species: *Cyrtostylis reniformis* R.Br.
Cyrtostylis huegelii Endl. in Lehm., Pl. Preiss. 2: 6 (1846).
Cyrtostylis reniformis R.Br., Prod. 322 (1810).
Cyrtostylis robusta D.L.Jones et M.A.Clem., Lindleyana 2(3): 157-60, f. 11-15 (1987).
Cyrtostylis tenuissima (Nicholls et Goadby) D.L.Jones et M.A.Clem., Lindleyana 2(3): 157 (1987).

Davejonesia M.A.Clem., Orchadian 13(11): 487 (2002).Type species: *Bulbophyllum lichenastrum* F.Muell.
Davejonesia aurantiacopurpurea (Nicholls) M.A.Clem., Orchadian 13(11): 487 (2002).
Davejonesia lichenastrum (F.Muell.) M.A.Clem., Orchadian 13(11): 487 (2002).
Davejonesia prenticei (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 487 (2002).

Demorchis D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiii (2004).Type species: *Gastrodia queenslandica* Dockrill.
Demorchis queenslandica (Dockrill) D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiii (June 2004).

Dendrobium Sw., Nov. Act. Soc. Sci. Upsal. 6: 82 (1799)(nom. cons.).Type species: *Dendrobium moniliforme* Sw. (type cons.), *fide* Holttum et al. (1979).
Dendrobium stuartii F.M. Bailey, Proc. Roy. Soc. Queensland 1: 12 (1884).

Dichopus Blume, Mus. Bot. 2: 176 (1856).Type species: *Dichopus insignis* Blume
Dichopus insignis Blume, Mus. Bot. 2: 176 (1855).

Didymoplexis Griffith, Calcutta J. Nat. Hist. 4: 383, t. 17 (1843).Type species: *Didymoplexis pallens* Griffith.
Didymoplexis pallens Griffith, Calcutta J. Nat. Hist. 4: 383, t. 17 (1843).

Dienia Lindl., Bot. Reg. 10: sub t. 825 (1 Sept. 1824).Type species: *Dienia congesta* Lindl.
Dienia montana (Blume) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 41 (1996).

Diplocaulobium (Rchb.f.)Kraenzl., Pflanzenreich Orch.-Mon.-Dendr. 45: 331 (1910).Type species: *Dendrobium nitidissimum* Rchb.f.
Diplocaulobium glabrum (J.J.Sm.) Kraenzl.in Engl., Pflanzenreich Orch.-Mon.-Dendr. 45: 339 (1910).
***Diplocaulobium stelliferum* (J.J.Sm.) A.D.Hawkes, Lloydia 20: 130 (1957).

Diplodium Sw., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesamten Naturk 4: 84 (July 1810).Type species: *Disperis alata* Labill.
Diplodium abruptum (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium aestivum (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).

- Diplodium alatum* (Labill.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium alveatum (Garnet) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium angustum (A.S.George) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium aquilonium (D.L.Jones et B.Gray) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium asperum (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium atrans (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium bryophilum (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium coccinum (Fitzg.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium decurvum (R.S.Rogers) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium dolichochoilum (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium elegans (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium erythroconchum (M.A.Clem. et D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium fischii (Nicholls) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium grandiflorum (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium hamiltonii (Nicholls) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium hians (D.L.Jones) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium laxum (Blackmore) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium longicurvum (Rupp) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium longipetalum (Rupp) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium metcalfei (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium obtusum (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium pulchellum (Messmer) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium reflexum (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium revolutum (R.Br.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium robustum (R.S.Rogers) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium rogersii (E.Coleman) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium russellii (T.E.Hunt) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium scabrum (Lindl.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium scoliosum (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium striatum (Fitzg.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium tenuissimum (Nicholls) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 72 (2002).
Diplodium torquatum (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 72 (2002).
Diplodium truncatum (Fitzg.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 74 (2002).

Dipodium R.Br., Prod. 330 (1810).Type species: *Dendrobium punctatum* Sm.

Dipodium atropurpureum D.L.Jones, Austral. Orch. Res. 2: 49, f. 61 (1991).

Dipodium campanulatum D.L.Jones, Austral. Orch. Res. 2: 49-50, f. 62 (1991).

Dipodium elegantulum D.L.Jones, Austral. Orch. Res. 2: 50-51, f. 63 (1991).

Dipodium ensifolium F.Muell., Fragm. 5: 42 (1865).

Dipodium hamiltonianum F.M.Bailey, Proc. Linn. Soc. New South Wales 6: 140-3 (1881).

Dipodium pandanum F.M.Bailey, Queensland Agric. J. 6: 287, t. 187, 188 (1900).

Dipodium pardalinum D.L.Jones, Muellera 9: 105-109, f.1-2 (1996).

Dipodium punctatum (Sm.) R.Br., Prod. 331 (1810).

Dipodium roseum D.L.Jones et M.A.Clem., Austral. Orch. Res. 2: 51, f. 64 (1991).

Dipodium stenochilum O.Schwarz, Repert. Spec. Nov. Regni Veg. 24(659): 80-81 (1927)

Dipodium variegatum M.A.Clem.et D.L.Jones, Proc. Roy. Soc. Queensland 98: 128, f. 5 (1987).

**Disa* P.Bergius, Descript. Pl. Cap. 348 (1767).Type species: *Disa uniflora* P.Bergius.

**Disa bracteata* Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 211 (1800).

Diteilis Raf., Herb. Raf. 73 (1833).Type species: *Diteilis nepalensis* Raf., *nom. illeg.* (*Cymbidium bituberculatum* Hook.).

Diteilis collinsii (B.Gray) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xiii-xiv (June 2004).

Diteilis petricola D.L.Jones et B.Gray, Austral. Orchid. Res. 5: 73-74, f.3.21, 3.22, t. (21 Dec. 2006).
Diteilis simmondsii (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xiv (June 2004).

Diuris Sm., Trans. Linn. Soc. London 4: 222 (1798). Type species: *Diuris aurea* Sm.

Diuris abbreviata Benth., Fl. Austral. 6: 329 (1873).

Diuris aequalis F.Muell. ex Fitzg., Austral. orch. 1(2): [t. 6] (1876).

Diuris alba R.Br., Prod. 326 (1810).

Diuris amplissima D.L.Jones, Austral. Orch. Res. 2: 53-54, f. 65 (1991).

Diuris arenaria D.L.Jones, Orchadian 12(12): 567-568, f. 1, t. (1999).

Diuris aurea Smith, Exotic Bot. 1: 15, t. 9 (1805).

Diuris basaltica D.L.Jones, Austral. Orchid. Res. 5: 75-76, f.3.9 (21 Dec. 2006).

Diuris behrii Schldl., Linnaea 20: 572 (1849).

Diuris bracteata Fitzg., Austral. orch. 2(4): [t. 2] (1889).

Diuris brevifolia R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 46: 148 (1922)

Diuris brumalis D.L.Jones, Austral. Orch. Res. 2: 53, f. 66 (1991).

Diuris byronensis D.L.Jones, Orchadian 14(3): 132-133, f. 1, t. (2003).

Diuris callitrophila D.L.Jones, Orchadian 14(3): 133-135 (2003).

Diuris carinata Lindl., Gen. sp. orchid. pl. 510 (Sep. 1840).

Diuris chrysantha D.L.Jones et M.A.Clem., Proc. Roy. Soc. Queensland 98: 130-2, f. 7 (1987).

Diuris chryseopsis D.L.Jones, Austral. Orch. Res. 3: 74-75, f.4.1 (1998).

Diuris concinna D.L.Jones, Austral. Orch. Res. 2: 53-54, f. 67 (1991).

Diuris conspicillata D.L.Jones, Austral. Orch. Res. 2: 54 -55, f. 68 (1991).

Diuris corymbosa Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. li (1840).

Diuris cuneilabris Rupp, Proc. Linn. Soc. New South Wales 73: 134, f. 1 (1948).

Diuris curta D.L.Jones, Austral. Orchid. Res. 5: 76-77, f. 3.9 (21 Dec. 2006).

Diuris daltonii (C.Walter) D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiv (June 2004).

Diuris dendrobioides Fitzg., Austral. orch. 1(7): [t. 3] (1882).

Diuris disposita D.L.Jones, Austral. Orch. Res. 2: 55, f. 69 (1991).

Diuris drummondii Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. li (1840).

Diuris eborensis D.L.Jones, Austral. Orchid. Res. 5: 77-78, f.3.10, t. (21 Dec. 2006).

Diuris emarginata R.Br., Prod. 316 (1810).

Diuris exitela D.L.Jones, Austral. Orch. Res. 2: 55-56, f. 70 (1991).

Diuris filifolia Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. li (1840).

Diuris flavescens D.L.Jones, Austral. Orch. Res. 2: 56, f. 71 (1991).

Diuris fragrantissima D.L.Jones et M.A.Clem., Austral. Orch. Res. 1: 68 (1989).

Diuris fucosa D.L.Jones, Austral. Orchid. Res. 5: 78, f.3.11, t. (21 Dec. 2006).

Diuris goonoensis Rupp, Victorian Naturalist 72: 110 (1955).

Diuris gregaria D.L.Jones, Austral. Orchid. Res. 5: 79-80, f.3.12 (21 Dec. 2006).

Diuris heberlei D.L.Jones, Austral. Orch. Res. 2: 56-57, f. 72 (1991).

Diuris immaculata D.L.Jones, Austral. Orchid. Res. 5: 80-81 (21 Dec. 2006).

Diuris laevis Fitzg., Gard. Chron. (new ser.), 17: 495 (1882).

Diuris lanceolata Lindl., Gen. sp. orchid. pl. 508 (1840).

Diuris laxiflora Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. li (1840).D.

Diuris longifolia R.Br., Prod. 316 (1810).

Diuris luteola D.L.Jones et B.Gray, Austral. Orch. Res. 2: 57-58, f. 73 (1991).

Diuris maculata Sm., Exotic Bot. 1: 57, t. 30 (1804-05).

Diuris magnifica D.L.Jones, Austral. Orch. Res. 2: 58, f. 74 (1991).

Diuris micrantha D.L.Jones, Austral. Orch. Res. 2: 58-59, f. 75 (1991).

Diuris minor (Benth.) D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiv (June 2004).

Diuris monticola D.L.Jones, Austral. Orch. Res. 3: 76-77, f.4.3 (1998).

Diuris nigromontana D.L.Jones, Orchadian 15(12): 550-551, t. (June 2008).

Diuris ochroma D.L.Jones, Muelleria 8(2): 182-184, f. 2 d-f (1994).

Diuris oporina D.L.Jones, Austral. Orch. Res. 2: 59-60, f. 77 (1991).

Diuris orientis D.L.Jones, Austral. Orch. Res. 3: 77-78, f.4.4 (1998).

Diuris palustris Lindl., Gen. sp. orchid. pl. 507 (1840).

Diuris pardina Lindl., Gen. sp. orchid. pl. 507 (1840).
Diuris parvipetala (Dockrill) D.L.Jones et M.A.Clem., Proc. Roy. Soc. Queensland 98: 132 (1987).
Diuris pauciflora R.Br., Prod. 316 (1810).
Diuris pedunculata R.Br., Prod. 316 (1810).
Diuris picta J.Drummond in Hooker's, J. Bot. 5: 347 (1853).
Diuris platichila Fitzg., Austral. orch. 2(4): [t. 3] (1891).
Diuris porrifolia Lindl. in Edwards's, Bot. Reg. 1-23: Swan. Riv. Append. li (1840).
Diuris praecox D.L.Jones, Austral. Orch. Res. 2: 60, f. 78 (1991).
Diuris protena D.L.Jones, Austral. Orchid. Res. 5: 81-82 (21 Dec. 2006).
Diuris pulchella D.L.Jones, Austral. Orch. Res. 2: 61, f. 79 (1991).
Diuris punctata Sm. var. *punctata* Exotic Bot. 1: 13, t. 8 (1804).
Diuris punctata Sm. var. *sulfurea* Rupp, Proc. Linn. Soc. New South Wales 69: 73 (1944).
Diuris purdiei Diels, J. Proc. Mueller Bot. Soc. Western Australia_ 1(11): 79 (1903).
Diuris recurva D.L.Jones, Austral. Orch. Res. 2: 61-62, f. 80 (1991).
Diuris secundiflora Fitzg., Austral. orch. 1(4): [t. 9] (1878).
Diuris semilunulata Messmer in Rupp, Orch. New South Wales 139-140 (1943).
Diuris setacea R.Br., Prod. 316 (1810).
Diuris subalpina D.L.Jones, Orchadian 15(12): 551, t. (June 2008).
Diuris sulphurea R.Br., Prod. 316 (1810).
Diuris tricolor Fitzg., J. Bot. 23: 137 (1885).
Diuris unica D.L.Jones, Austral. Orchid. Res. 5: 82, f.3.13, t. (21 Dec. 2006).
Diuris venosa Rupp, Proc. Linn. Soc. New South Wales 51: 313, f. 1-6 (1926).
Diuris x fastidiosa R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 6-7 (1927).
Diuris xnebulosa D.L.Jones, Austral. Orch. Res. 2: 59, f. 76 (1991).
Diuris xpalachila R.S. Rogers, Trans. & Proc. Roy. Soc. South Australia 31: 209-210 (1907).
Diuris xpolymorpha Messmer in Rupp, Orchids New South Wales, Suppl. 142 (1943).

Dockrillia Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981). Type species: *Dendrobium linguiforme* Sw., fide Brieger (1981).

Dockrillia banksii D.L.Jones et M.A.Clem., Austral. Orch. Rev. 70(5): 17-21, f., t. (Oct. 2005).
Dockrillia bowmanii (Benth.) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 17 (1996).
Dockrillia brevicauda (D.L.Jones et M.A.Clem.) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 17 (1996).
Dockrillia calamiformis (Loddiges) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 17 (1996).
Dockrillia cucumerina (MacLeay ex Lindl.) Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981).
Dockrillia dolichophylla (D.L.Jones et M.A.Clem.) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 17 (1996).
Dockrillia fairfaxii (F.Muell. et Fitzg.) Rauschert, Feddes Repert. 94(7-8): 446 (1983).
Dockrillia linguiformis (Sw.) Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981).
Dockrillia mortii (F.Muell.) Rauschert, Feddes Repert. 94(7-8): 446 (1983).
Dockrillia nugionii (F.M. Bailey) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 18 (1996).
Dockrillia pugioniformis (A.Cunn.) Rauschert, Feddes Repert. 94(7-8): 446 (1983).
Dockrillia racemosa (Nicholls) Rauschert, Feddes Repert. 94(7-8): 446 (1983).
Dockrillia rigida (R.Br.) Rauschert, Feddes Repert. 94(7-8): 447 (1983).
Dockrillia schoenina (Lindl.) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 18 (1996).
Dockrillia striolata (Rchb.f.) Rauschert subsp. *striolata*, Feddes Repert. 94 (7-8): 447 (1983).
Dockrillia striolata subsp. *chrysantha* D.L.Jones, Austral. Orch. Res. 3: 9, t. (1998).
Dockrillia sulphurea D.L.Jones et M.A.Clem., Austral. Orchid Rev. 71(3): 15-16, f., t. (2006).
Dockrillia teretifolia (R.Br.) Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981).
Dockrillia wassellii (S.T.Blake) Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981).
Dockrillia xfoederata (St. Cloud) Rauschert, Feddes Repert. 94(7-8): 446 (1983).
Dockrillia xgrimesii (C.T.White et Summerh.) Rauschert, Feddes Repert. 94(7-8): 446 (1983).

Drakaea Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. lvi (1840). Type species: *Drakaea elastica* Lindl.

Drakaea elastica Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. lvi (1840).
Drakaea glyptodon Fitzg., Gard. Chron. (new ser.), 17: 494 (1882).

Drakaea livida J.Drum. in Hooker's, London J. Bot. 1: 628 (1842).

Drakaea thynniphila A.S.George, Nuytsia 5(1): 60, f. 3, F-K (1984).

Drakonorchis (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 403 (2001). Type species: *Caladenia barbarossa* Rchb.f.

Drakonorchis barbarella (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 456 (2002).

Drakonorchis barbarossa (Rchb.f.) D.L.Jones et M.A.Clem., Orchadian 13(9): 404 (2001).

Drakonorchis drakeoides (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 456 (2002).

Drakonorchis mesocera (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 456 (2002).

Drymoanthus Nicholls, Victorian Naturalist 59: 173-5, f. (1943). Type species: *Drymoanthus minutus* Nicholls.

Drymoanthus minutus Nicholls, Victorian Naturalist 59: 175, f. (1943).

Durabaculum M.A.Clem. et D.L.Jones, Orchadian 13(11): 487 (2002). Type species: *Dendrobium undulatum* R.Br., *vide* Clements and Jones (2002).

Durabaculum fuscum (Fitzg.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 487 (2002).

Durabaculum mirbelianum (Gaud.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 488 (2002).

Durabaculum nindii (W.Hill) M.A.Clem. et D.L.Jones, Orchadian 13(11): 488 (2002).

Durabaculum undulatum M.A.Clem. et D.L.Jones var. *undulatum*, Orchadian 13(11): 489 (2002).

Durabaculum undulatum var. *broomfieldii* (Fitzg.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 489 (2002).

Eletheroglossum (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 489 (2002). Type species: *Dendrobium eletheroglossum* Schltr.

Eletheroglossum fellowsii (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 489 (2002).

Elythranthera (Endl.) A.S.George, West Australian Naturalist 9: 6 (1963). Type species: *Glossodia brunonis* Endl.

Elythranthera brunonis (Endl.) A.S.George, West Australian Naturalist 9: 7 (1963).

Elythranthera emarginata (Lindl.) A.S.George, West Australian Naturalist 9: 7 (1963).

Elythranthera ×intermedia (Fitzg.) M.A.Clem., Austral. Orch. Res. 1: 73 (1989).

Empusa Lindl. in Edwards's, Bot. Reg. 10: sub t. 825 (1 Sept. 1824). Type species: *Empusa paradoxa* Lindl.

Empusa habenarina (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xiv (June 2004).

Ephippium Blume, Bijdr. 308 (20 Sept.-7 Dec. 1825). Type species: *Ephippium ciliatum* Blume, *vide* Ridl (1893).

Ephippium masdevalliaceum (Kraenzl.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 499 (2002).

Epiblema R.Br., Prod. 315 (1810). Type species: *Epiblema grandiflorum* R.Br.

Epiblema grandiflorum R. Br., Prod. 315 (1810).

**Epidendrum* L., Sp. Pl. (ed. 2), 1347 (July-Aug. 1763), *nom. cons.* Type species: *Epidendrum nocturnum* Jacq. (typ. cons.)

**Epidendrum ×obrienianum* Rolfe, Gard. Chron. (ser. 3), 3: 770, f. 103 (1888).

Epipogium Gmelin ex Borkhausen, Tent. Disp. Pl. German. 139 (1792) (*Epipogium*, *Epipogom* orth. var.). Type species: *Satyrium epipogium* L. (*Epipogium aphyllum* Sw.).

Epipogium roseum (D. Don) Lindl., J. Proc. Linn. Soc., Bot. 1: 177 (1857).

Eremorchis D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 74 (2002). Type species: *Pterostylis allantoidea* R.S.Rogers.

Eremorchis allantoidea (R.S.Rogers) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 74 (2002).

Ericksonella Hopper et A.P.Br., Austral. Syst. Bot. 17: 208 (2004). Type species: *Caladenia saccharata* Rchb.f.

Ericksonella saccharata (Rchb.f.) Hopper et A.P.Br., Austral. Syst. Bot. 17: 208 (2004).

Eriochilus R.Br., Prod. 323 (1810). Type species: *Eriochilus autumnalis* R.Br., *nom. inval.*

Eriochilus cucullatus (Labill.) Rchb.f., Beitr. Syst. Pflanzenk. 27 (1871).

Eriochilus dilatatus Lindl. subsp. *brevifolius* (Benth.) Hopper et A.P.Br., Nuytsia 16(1): 38, 40, f. 2B (2006).

Eriochilus dilatatus Lindl. subsp. *dilatatus* in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liii (1840).

Eriochilus dilatatus Lindl. subsp. *magnus* Hopper et A.P.Br., Nuytsia 16(1): 40, f. 2C (2006).

Eriochilus dilatatus Lindl. subsp. *multiflorus* (Lindl.) Hopper et A.P.Br., Nuytsia 16(1): 41-42, f. 2D, 3 (2006).

Eriochilus dilatatus Lindl. subsp. *orientalis* Hopper et A.P.Br., Nuytsia 16(1): 42, 44, f. 4A (2006).

Eriochilus dilatatus Lindl. subsp. *undulatus* Hopper et A.P.Br., Nuytsia 16

(1): 44-45, f. 4B (2006).

Eriochilus helonomos Hopper et A.P.Br., Nuytsia 16(1): 42, 44, f. 4C (2006).

Eriochilus magenteus D.L.Jones, Orchadian 15(12): 551, 554, t. (June 2008).

Eriochilus petricola D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. viii-ix (June 2004).

Eriochilus pulchellus Hopper et A.P.Br., Nuytsia 16(1): 48-49, f. 4D (2006).

Eriochilus scaber Lindl. subsp. *orbifolia* Hopper et A.P.Br., Nuytsia 16(1): 53-54, f. 6B (2006).

Eriochilus scaber Lindl. subsp. *scaber* in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liii (1840).

Eriochilus tenuis Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liii (1840).

Eriochilus valens Hopper et A.P.Br., Nuytsia 16(1): 59, f. 6D, 8 (2006).

Erythrorchis Blume in Rumphia 1: 200 (1837). Type species: *Cyrtosia altissima* Blume.

Erythrorchis cassythoides (A.Cunn. ex Lindl.) Garay, Bot. Mus. Leafl. 30(4): 234 (1986).

Eucosia Blume, Bijdr. 415 (20 Sept.-7 Dec. 1825). Type species: *Eucosia carnea* Blume.

Eucosia umbrosa D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. ix (June 2004).

Eulophia R.Br. ex Lindl. in Edwards's, Bot. Reg. 8: t. 686 (1823) (*nom. cons.*). Type species: *Eulophia guineensis* Lindl. (type cons.).

Eulophia fitzalanii Benth., Fl. Austral. 6: 300 (1873).

**Eulophia graminea* Lindl., Wall. Cat. n. 7372 (1829), *nom nud.*; Gen. sp. orch. pl. 182 (1833).

Eulophia pelorica D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. ix (June 2004).

Eulophia venosa (F.Muell.) Benth., Fl. Austral. 6: 300 (1873).

Eulophia zollingeri (Rchb.f.) J.J.Sm., Flore Buitenzorg 6: 228 (1905).

Flickingeria A.Hawkes, Orchid Weekly 2: 451 (6 Jan. 1961). Type species: *Desmotrichum angulatum* Blume, *fide* Hawkes (1961)

Flickingeria clemensii D.L.Jones, Orchadian 14(8): Sci. Suppl. ix-x (June 2004).

Flickingeria nativitatis (Ridley) J.J.Wood, Orchadian 7(6): 145 (1982).

Fruticicola (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 499 (2002). Type species: *Bulbophyllum fruticicola* Schltr.

Fruticicola radicans (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 13(11): 499 (2002).

Gastrodia R.Br., Prod. 330 (1810). Type species: *Gastrodia sesamoides* R.Br.

Gastrodia crebriflora D.L.Jones, Austral. Orch. Res. 2: 62-63, f. 81 (1991).

Gastrodia entomogama D.L.Jones, Austral. Orch. Res. 2: 63, t. , f. 82 (1991).

Gastrodia lacista D.L.Jones, Austral. Orch. Res. 2: 64, f. 83 (1991).

Gastrodia procera G.W.Carr, Indig. Fl. Fauna Assoc. Misc. Paper 1: 22 (1991).

Gastrodia sesamoides R.Br., Prod. 319 (1810).

Gastrodia surcula D.L.Jones, Orchadian 15(12): 554, t. (June 2008).

Gastrodia urceolata D.L.Jones, Austral. Orch. Res. 2: 64-65, f. 84 (1991).

Gastrodia vescula D.L.Jones, Austral. Orch. Res. 2: 65, f. 85 (1991).

Genoplesium R.Br., Prod. 319 (1810). Type species: *Genoplesium baueri* R.Br.

Genoplesium baueri R.Br., Prod. 310 (1810).

Geodorum Jackson, Bot. Repos. 10: t. 626 (1811). Type species: *Geodorum citrinum* Jackson.

Geodorum densiflorum (Lam.) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 259 (1919).

Glossodia R.Br., Prod. 325-326 (1810). Type species: *Glossodia major* R.Br., *vide* Clements (1989).

Glossodia major R.Br., Prod. 326 (1810).

Glossodia minor R.Br., Prod. 326 (1810).

Grastidium Blume, Bijdr. 333, 433 (20 Sept.-7 Dec. 1825). Type species: *Grastidium salaccense* Blume *vide* Brieger (1981).

Grastidium baileyi (F.v.Muell.) Rauschert, Feddes Repert. 94(7-8): 447 (1983).

Grastidium cancrioides (T.E.Hunt) Rauschert, Feddes Repert. 94(7-8): 448 (1983).

Grastidium luteocilium (Rupp) Rauschert, Feddes Repert. 94(7-8): 450 (1983).

Grastidium tozerense (Lavarack) M.A.Clem. et D.L.Jones, Lasianthera, 1(1): 18 (1996).

Habenaria Willd., Sp. pl. 4(1): 5, 44 (1805). Type species: (*Orchis habenaria* L.) *Habenaria macroceratitis* Willd.

Habenaria chlorosepala D.L.Jones, Orchadian 12(10): 461-464, f., t. (1998).

Habenaria elongata R. Br., Prod. 313 (1810).

Habenaria euryloba D.L.Jones, Orchadian 13(11): 516-517, f.1 (2002).

Habenaria exilis D.L.Jones, Orchadian 12(10): 464-465, f., t. (1998).

Habenaria ferdinandi Schltr., Repert. Spec. Nov. Regni Veg. Beih. 10: 249 (1912).g.

Habenaria fuscina D.L.Jones, Orchadian 13(11): 517-518, f.2 (2002).

Habenaria halata D.L.Jones, Orchadian 13(11): 518-519, f.3 (2002).

Habenaria harroldii D.L.Jones, Orchadian 12(9): 414-417, f., t. (1998).

Habenaria hymenophylla Schltr., Repert. Spec. Nov. Regni Veg. Beih. 9: 212 (1911).

Habenaria macraithii Lavarack, Orchadian 7(12): 278-9 (1984).

Habenaria ochroleuca R. Br., Prod. 313 (1810).

Habenaria praecox Lavarack et Dockrill., Austrobaileya 5(2): 331-335, f.1 (1999).

Habenaria propinquier Rchb.f., Beitr. Syst. Pflanzenk. 53 (1871).

Habenaria rumphii (Brog.) Lindl., Gen. sp. orchid. pl. 320 (1835).

Habenaria triplonema Schltr., Repert. Spec. Nov. Regni Veg. Beih. 9: 435 (1911).

Habenaria vatia D.L.Jones, Orchadian 14(8): Sci. Suppl. xv (June 2004).

Habenaria xanthantha F.Muell., Fragm. 7: 16 (1869).

Hetaeria Blume, Fl. Javae 1: Praef. vii (1828), (nom. cons.). Type species: *Hetaeria oblongifolia* (Blume) Blume, *vide* Adams (1987).

Hetaeria oblongifolia (Blume) Blume, Coll. Orch. Arch. Ind. 102, t. 32 (1858).

Hydrochis D.L.Jones et M.A.Clem., Orchadian 13: 462 (2002). Type species: *Microtis orbicularis* R.S.Rogers.

Hydrochis cupularis D.L.Jones et G.Brockman, Orchadian 14(11): 518-519, f. 1, t. (2005).

Hydrochis orbicularis (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(10): 462 (2002).

Hymeneria (Lindl.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 501 (2002). Type species: *Eria obesa* Lindl., *vide* Clements and Jones (2002).

Hymeneria fitzalanii (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 501 (2002).

Hymenochilus D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002). Type species: *Pterostylis mutica* R.Br.

Hymenochilus bicolor (M.A.Clem. et D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).

Hymenochilus clivicola D.L.Jones, Orchadian 15(11): 492-493, f. 1 (2008).

Hymenochilus crassicaulis D.L.Jones et M.A.Clem., Orchadian 15(11): 493-495, f. 2 (2008).

Hymenochilus cycnocephalus (Fitzg.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).

Hymenochilus muticus (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).

Hymenochilus pratensis (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).

Hymenochilus rubenachii (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).

Hymenochilus wapstrarum (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 77 (2002).

Hymenochilus ziegeleri (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 77 (2002).

Jonesiopsis Szlach ex D.L.Jones et M.A.Clem., Orchadian 14(4): 179 (June 2003). Type species: *Caladenia multiclavia* Rchb.f.

Jonesiopsis abbreviata (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

Jonesiopsis bicalliata (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

Jonesiopsis brevisura (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 179 (2003).

Jonesiopsis caesarea (Domin) D.L.Jones et M.A.Clem. subsp. *caesarea*, Orchadian 14(4): 180 (2003).

Jonesiopsis caesarea subsp. *maritima* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

Jonesiopsis caesarea subsp. *transiens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis cairnsiana (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 14(4): 179-180 (2003).

Jonesiopsis capillata (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis chapmanii (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis cristata (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

Jonesiopsis denticulata (Lindl.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis dimidia (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis dorrienii (Domin) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis douthiae (O.Sarg.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

Jonesiopsis dundasiae (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis elegans (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis erythrochila (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis evanescens (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis exilis (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *exilis*, Orchadian 14(4): 181 (2003).

Jonesiopsis exilis subsp. *vanleuwenii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis filamentosa (R.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis filifera (Lindl.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis flaccida (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis footeana (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis fuscolutescens (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).

Jonesiopsis hiemalis (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

Jonesiopsis horistes (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

Jonesiopsis incensa (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

Jonesiopsis incrassata (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

Jonesiopsis luteola (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

Jonesiopsis melanema (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

Jonesiopsis meridionalis (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

Jonesiopsis microchila (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

Jonesiopsis multiclavia (Rchb.f.) Szlach., Polish Bot. J. 46(1): 14 (2001) (as '*Jonesyella multiclavia*').

Jonesiopsis nobilis (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

Jonesiopsis occidentalis (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

Jonesiopsis pachychila (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

Jonesiopsis paradoxa (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 182 (2003).

- Jonesiopsis pendens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *pendens*, *Orchadian* 14(4): 182 (2003).
- Jonesiopsis pendens* subsp. *talbotii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis polychroma* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis postea* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis pulchra* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis radialis* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis remota* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *remota*, *Orchadian* 14(4): 182 (2003).
- Jonesiopsis remota* subsp. *parva* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 183 (2003).
- Jonesiopsis roei* (Benth.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 180 (2003).
- Jonesiopsis sanguinea* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 183 (2003).
- Jonesiopsis sigmoidea* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 180 (2003).
- Jonesiopsis ultima* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 183 (2003).
- Jonesiopsis voigtii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 180 (2003).
- Jonesiopsis vulgata* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 183 (2003).
- Jonesiopsis wanosa* (A.S.George) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 180 (2003).
- Jonesiopsis xantha* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 183 (2003).
- Jonesiopsis* ×*ericksoniae* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).
- Jonesiopsis* ×*exoleta* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).
- Jonesiopsis* ×*lavandulacea* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).
- Jonesiopsis* ×*resupina* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).
- Jonesiopsis* ×*tryphera* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).
- Kauorchis* D.L.Jones et M.A.Clem., *Orchadian* 13(11): 499 (2002) (as “*Karorchis*”). Type species: *Bulbophyllum evasum* T.E.Hunt et Rupp.
- Kaurorchis evasa* (T.E.Hunt et Rupp) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 499 (2002).
- Leioanthum* M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 490 (2002). Type species: *Dendrobium bifalce* Lindl.
- Leioanthum bifalce* (Lindl.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 490 (2002).
- Leporella* A.S.George, *Nuytsia* 1(2): 18 (1971). Type species: *Leptoceras fimbriata* Lindl.
- Leporella fimbriata* (Lindl.) A.S.George, *Nuytsia* 1(2): 183 (1971).
- Leptoceras* (R.Br.) Lindl. in Edwards’s, *Bot. Reg.* 1-23: Swan Riv. Append. liii (1 Jan. 1840). Type species: *Caladenia menziesii* R.Br., *vide* George (1971).
- Leptoceras menziesii* (R.Br.) Lindl., *Gen. sp. orchid. pl.* 416 (Mar. 1840).
- Linguella* D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 3: 77 (2002). Type species: *Pterostylis nana* R.Br.
- Linguella clavigera* (Fitzg.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 77 (2002).
- Linguella dilatata* (A.S.George) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 78 (2002).
- Linguella nana* (R.Br.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 77 (2002).
- Linguella pyramidalis* (Lindl.) D.L.Jones et M. A.Clem., *Austral. Orch. Res.* 4: 78 (2002).
- Linguella timothyi* D.L.Jones, *Austral. Orchid. Res.* 5: 82-83 (21 Dec. 2006).
- Luisia* Gaud. in Freycinet, *Voy. Uranie* 426, t. 37 (1826). Type species: *Luisia teretifolia* Gaud.
- Luisia atacta* D.L.Jones, *Austral. Orchid. Res.* 5: 84, f.3.15 (21 Dec. 2006).
- Luisia corrugata* D.L.Jones, *Austral. Orchid. Res.* 5: 84-85, f.3.16 (21 Dec. 2006).
- Lyperanthus* R.Br., *Prod.* 325 (1810). Type species: *Lyperanthus suaveolens* R.Br., *vide* Clements (1989).
- Lyperanthus serratus* Lindl., *Gen. sp. orchid. pl.* 393 (1840).
- Lyperanthus suaveolens* R.Br., *Prod.* 325 (1810).

- Mecopodium* D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiv (2004). Type species:
Prasophyllum parvifolium Lindl.
Mecopodium parvifolium (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiv (June 2004).
Mecopodium striatum (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiv (June 2004).
- Micropera* Lindl. in Edwards's, *Bot. Reg.* 18: t. 1522 (1832). Type species: *Aerides pallida* Roxb.
Micropera fasciculata (Lindl.) Garay, *Bot. Mus. Leafl.* 23 (4): 186 (1972).
- Microtatorchis* Schltr. in K.Schum. et Laut., *Nachtr. Fl. Deutsch. Schutzgeb. Südsee* 224 (Nov. 1905).
Lectotype species: *Microtatorchis perpusilla* Schltr. vid A.A.Bullock, ING card 015211 (30 Mar. 1958).
Microtatorchis clementsii D.L.Jones et B.Gray, *Orchadian* 15(5): 201-202, f. (2006).
- Microtidium* D.L.Jones et M.A.Clem., *Orchadian* 13(10): 463 (30 Jan. 2002). Type species: *Microtis atrata*
Lindl.
Microtidium atratum (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 463 (30 Jan. 2002).
- Microtis* R.Br., *Prod.* 320 (1810). Type species: *Microtis rara* R.Br., *fide* Garay and H.R.Sweet (1974).
Microtis alba R.Br., *Prod.* 321 (1810).
Microtis angusii D.L.Jones, *Orchadian* 12(1): 10-11, f. (1996).
Microtis arenaria Lindl., *Gen. sp. orchid. pl.* 396 (1840).
Microtis brownii Rchb.f., *Beitr. Syst. Pflanzenk.* 24 (1871).
Microtis densiflora (Benth.) M.A.Clem., *Austral. Orch. Res.* 1: 94 (1989).
Microtis eremaea R.J.Bates, *J. Adelaide Bot. Gard.* 17: 119-120, f. 1A-E (1996).
Microtis eremicola (R.J.Bates) D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiv (June 2004).
Microtis familiaris R.J.Bates, *J. Adel. Bot. Gard.* 13: 50-51, f. 1 (1990).
Microtis frutetorum Schldl., *Linnaea* 20: 568 (1847).
Microtis globula R. Bates, *J. Adelaide Bot. Gard.* 7 (1): 60-62, f. 3, 6C (1984).
Microtis graniticola R.J.Bates, *J. Adelaide Bot. Gard.* 17: 120, 122-123, f. 1F-I (1996).
Microtis media R.Br., *Prod.* 321 (1810).
Microtis oblonga R.S. Rogers, *Trans. & Proc. Roy. Soc. South Australia* 47: 339 (1923).
Microtis parviflora R.Br., *Prod.* 320 (1810).
Microtis pulchella R.Br., *Prod.* 321 (1810).
Microtis quadrata (R.J.Bates) D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xiv (June 2004).
Microtis rara R.Br., *Prod.* 321 (1810).
Microtis unifolia (G.Forst.) Rchb.f., *Beitr. Syst. Pfl.* 62 (1871).
- Mobilabium* Rupp, *North Queensland Naturalist* 13(78): 2-4, f. (1946). Type species: *Mobilabium hamatum* Rupp.
Mobilabium hamatum Rupp, *North Queensland Naturalist* 13(78): 2 (1946).
- Monanthos* (Schltr.) Brieger, *Schlechter Orchideen* (ed. 3), 1: 660 (1981) (*sic* '*Monanthus*'). Type species:
Dendrobium bilobum Lindl.
Monanthos malbrownii (Dockrill) Rauschert, *Feddes Repert.* 94(7-8): 455 (1983)
- Myrmechila* D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36-37 (2005). Type species: *Chiloglottis formicifera* Fitzg.
Myrmechila formicifera (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 37 (2005).
Myrmechila platyptera (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 37 (2005).
Myrmechila trapeziformis (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 88 (2006).
Myrmechila trullata (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 37 (2005).
Myrmechila truncata (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 37 (2005).
- Nemacianthus* D.L.Jones et M.A.Clem., *Orchadian* 13(10): 440-441 (2002). Type species: *Acianthus caudatus* R.Br.

Nemacianthus caudatus (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 441 (2002).

Nematoceras Hook.f., *Fl. Nov. zel.* 1: 249 (1853). Type species: *Nematoceras macranthum* Hook.f. ('*macrantha*'), *fide* Jones and Clements (2002).

Nematoceras acuminatum (M.A.Clem. et Hatch) Molloy, D.L.Jones et M.A.Clem., *Orchadian* 13(10): 449 (2002).

Nematoceras dienemum (D.L.Jones) D.L.Jones, M.A.Clem. et Molloy, *Orchadian* 13(10): 449 (2002).

Nematoceras sulcatum M.A.Clem. et D.L.Jones, *Telopea* 11(4): 406-408, f. 1 (July 2007).

Nervilia Commerson ex Gaud. in Freycinet, *Voy. Uranie* 421, t. 35 (1829)(*nom. cons.*). Type species: *Nervilia aragoana* Gaud.

Nervilia aragoana Gaud. in Freycinet, *Voy. Uranie* 422, t. 35 (1829).

Nervilia crociformis (Zoll. et Mor.) Seidenf., *Dansk Bot. Arkiv* 32(2): 151 (1978).

Nervilia dallachyana (Benth.) Schltr., *Bot. Jahrb. Syst.* 39: 48 (1907).

Nervilia holochila (F.Muell.) Schltr., *Bot. Jahrb. Syst.* 39: 48 (1907).

Nervilia peltata B.Gray et D.L.Jones, *Austrobaileya* 4(2): 195-198, f.1 (1994).

Nervilia uniflora (F.Muell.) Schltr., *Bot. Jahrb. Syst.* 39: 48 (1907).

Oberonia Lindl., *Gen. sp. orchid. pl.* 15 (1830). Type species: *Oberonia iridifolia* Lindl., *nom. illeg.* (*Malaxis ensiformis* Sm., *Oberonia ensiformis* (Sm.) Lindl.) (type cons.).

Oberonia attenuata Dockrill, *North Queensland Naturalist* 29(126): 4, f. (1960).

Oberonia carnosa Lavarack, *Austrobaileya* 1: 72-74, f. 6 (1977).

Oberonia complanata (A.Cunn.) M.A.Clem. et D.L.Jones, *Austral. Orch. Res.* 1: 98-99 (1989).

Oberonia crateriformis D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 9-10, f.1.9, 1.10, t.1.a,b (21 Dec. 2006).

Oberonia flavescens D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 10-11, f.1.12, t.1.f (21 Dec. 2006).

Oberonia palmicola F.Muell., *Fragm.* 2: 24 (1860).

Oberonia rimachila D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 11, f.1.13, 1.14, t. 1c,d (21 Dec. 2006).

Oberonia titania Lindl., *Fol. Orchid.: Oberonia* 1(8) (1859).

Octarrhena Thwait, *Enum. Pl. Zeyl.* 305 (1861). Type species: *Octarrhena parvula* Thwait.

Octarrhena pusilla (F.M. Bailey) M.A.Clem. et D.L.Jones, *Phytologia* 73(2): 118 (7 Oct. 1992).

Oligochaetochilus Szlach., *Polish Bot. J.* 46(1): 23 (2001). Type species: *Pterostylis rufa* R.Br.

Oligochaetochilus aciculiformis (Nicholls) Szlach., *Polish Bot. J.* 46(1): 23 (2001).

Oligochaetochilus arenicola (M.A.Clem. et J. Stewart) Szlach., *Polish Bot. J.* 46(1): 23 (2001).

Oligochaetochilus basalticus (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 81 (2002).

Oligochaetochilus bisetus (Blackmore et Clemesha) Szlach., *Polish Bot. J.* 46(1): 23 (2001).

Oligochaetochilus boormanii (Rupp) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

Oligochaetochilus calceolus (M.A.Clem.) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

Oligochaetochilus chaetophorus (M.A.Clem. et D.L.Jones) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

Oligochaetochilus cheraphilus (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 80 (2002).

Oligochaetochilus ciliatus (M.A.Clem. et D.L.Jones) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

Oligochaetochilus cobarensis (M.A.Clem.) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

Oligochaetochilus commutatus (D.L.Jones) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

Oligochaetochilus despectans (Nicholls) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

Oligochaetochilus excelsus (M.A.Clem.) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

Oligochaetochilus frenchii D.L.Jones, *Orchadian* 14(10): 444-446, f. (Dec. 2004).

Oligochaetochilus gibbosus (R.Br.) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

Oligochaetochilus hamatus (Blackmore et Clemesha) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

Oligochaetochilus insectifer (M.A.Clem.) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

Oligochaetochilus leptochilus (M.A.Clem. et D.L.Jones) Szlach., *Polish Bot. J.* 46(1): 24 (2001).

- Oligochaetochilus linguus* (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 24 (2001).
- Oligochaetochilus macrocalymmus* (M.A.Clem. et D.L.Jones) Szlach., Polish Bot. J. 46(1): 24 (2001).
- Oligochaetochilus maximus* (M.A.Clem. et D. L.Jones) Szlach., Polish Bot. J. 46(1): 24 (2001).
- Oligochaetochilus mirabilis* D.L.Jones, Orchadian 15(9): 394-395, f. 1 (2007).
- Oligochaetochilus mitchellii* (Lindl.) Szlach., Polish Bot. J. 46(1): 24 (2001).
- Oligochaetochilus ovatus* (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 24 (2001).
- Oligochaetochilus petrosus* (D.L.Jones et M. A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 80 (2002).
- Oligochaetochilus pictus* (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 24 (2001).
- Oligochaetochilus planulatus* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 80 (2002).
- Oligochaetochilus praetermissus* (M.A.Clem. et D.L.Jones) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus psammophilus* D.L.Jones, Orchadian 15(9): 396-397, f. 2 (2007).
- Oligochaetochilus pusillus* (R.S.Rogers) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus roensis* (M.A.Clem. et D.L.Jones) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus rufus* (R.Br.) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus saxicola* (D.L.Jones et M. A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 81 (2002).
- Oligochaetochilus setifer* (M.A.Clem., Matthias et D.L.Jones) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus spathulatus* (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus squamatus* (R.Br.) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus validus* (Nicholls) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 81 (2002).
- Oligochaetochilus woollsii* (Fitzg) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oligochaetochilus xerophilus* (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 25 (2001).
- Oncophyllum* D.L.Jones et M.A.Clem., Orchadian 13(9): 420-421 (Sept. 2001). Type species: *Bulbophyllum minutissimum* F.Muell.
- Oncophyllum globuliforme* (Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 421 (2001).
- Oncophyllum minutissimum* (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 13(9): 421 (2001).
- Orthoceras* R.Br., Prod. 316-317 (1810). Type species: *Orthoceras strictum* R.Br.
- Orthoceras strictum* R.Br., Prod. 317 (1810).
- Oxysepala* Wight, Icon. 5(1): 17 (1851). Type species: *Oxysepala ovalifolia* Wight.
- Oxysepala gadgarrensis* (Rupp) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).
- Oxysepala grandimesensis* (B.Gray et D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).
- Oxysepala lamingtonensis* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).
- Oxysepala lewisensis* (B.Gray et D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(11): 498 (2002).
- Oxysepala schilleriana* (Rehb.f.) D.L.Jones et M.A.Clem. var. *schilleriana*, Orchadian 13(11): 500 (2002).
- Oxysepala schilleriana* var. *maritima* D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 11-12, f.1.15, t. (21 Dec. 2006).
- Oxysepala shepherdii* (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).
- Oxysepala wadsworthii* (Dockrill) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).
- Oxysepala windsorensis* (B.Gray et D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).
- Pachystoma* Blume, Bijdr. 6: t. 3, f. 29; 8: 376 (1825). Type species: *Pachystoma pubescens* Blume.
- Pachystoma pubescens* Blume, Bijdr. 6: t. 3, f. 29; 8: 376 (1825).
- Papillilabium* Dockrill, Austral. Sarcanth. 31, t. 7 (1967). Type species: *Cleisostoma beckleri* F.Muell.
- Papillilabium beckleri* (F.Muell. ex Benth.) Dockrill, Austral. Sarcanth. 31, t. 7 (1967).
- Papulipetalum* (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002). Type species: *Bulbophyllum papulipetalum* Schltr., fide Clements and Jones (2002).
- Papulipetalum nematopodum* (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).

Paracaleana Blaxell, Contr. New South Wales Natl. Herb. 4: 281(1972). Type species: *Caleana minor* R.Br. = *Sullivania*

Paracaleana alcockii Hopper & A.P.Br., Aust. Syst. Bot.19(3): 222-223, f.2, 6, 7 (2006).

Paracaleana brockmanii Hopper & A.P.Br., Aust. Syst. Bot.19(3): 222-223, f.2, 8, 9 (2006).

Paracaleana dixonii Hopper et A.P.Br., Aust. Syst. Bot.19(3): 228-229, f.2, 12, 13 (2006).

Paracaleana gracilicordata Hopper et A.P.Br., Aust. Syst. Bot.19(3): 229-230, f.2, 14, 15 (2006).

Paracaleana granitica Hopper et A.P.Br., Aust. Syst. Bot.19(3): 230-232, f.2, 16, 17 (2006).

Paracaleana hortiorum Hopper et A.P.Br., Aust. Syst. Bot.19(3): 232-234, f.2, 18, 19 (2006).

Paracaleana lyonsii Hopper et A.P.Br., Aust. Syst. Bot.19(3): 219-221, f. 4, 5 (2006).

Paracaleana parvula Hopper et A.P.Br., Aust. Syst. Bot.19(3): 237-238, f.2, 23, 24 (2006).

Paracaleana terminalis Hopper et A.P.Br., Aust. Syst. Bot.19(3): 239-240, f.2, 25, 26 (2006).

Paracaleana triens Hopper et A.P.Br., Aust. Syst. Bot.19(3): 240-242, f.2, 27, 28 (2006).

Peristeranthus T.E.Hunt, Queensland Naturalist 15: 17 (1954).Type species: *Saccolabium hillii* F.Muell.

Peristeranthus hillii (F.Muell.) T.E. Hunt, Queensland Naturalist 15: 17 (1954).

Peristylus Blume, Bijdr, 6: t. 1, f. 30; 8: 404 (1825)(*nom. cons.*).Type species: *Peristylus grandis* Blume (*type cons.*).

Peristylus banfieldii (F.M.Bailey) Lavarack, Austrobaileya 1(4): 38 (1981).

Peristylus candidus J.J.Sm., Orchid. Java 6: 36 (1905).

Peristylus chlorandrellus D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. x-xi (June 2004).

Petalochilus R.S.Rogers, J. Bot. 62: 65 (1924).Type: *Petalochilus calyciformis* R.S.Rogers, *fide* Jones et Clements (2001).

Petalochilus alatus (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus atrochilus (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus attenuatus (W.Brinley) (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus aurantiacus (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus campbellii (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus carneus (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus catenatus (Sm.) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus chamaephyllus (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus cleistanthus (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus coactilis (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus curtisepalus (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus fuscatus (Rchb.f.) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus gracillimus (Rupp) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus hillmanii (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus maritimus (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus mentiens (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus ornatus (Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus pictus (Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus porphyreus (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 15(1): 36 (2005).

Petalochilus prolatus (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus pusillus (W.M. Curtis) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus quadrifarius (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus sylvicola (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus tonellii (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 410 (2001).

Petalochilus vulgaris (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (2001).

Petalochilus xantholeucus (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (2001).

Petrorchis D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 83 (2002).Type species: *Pterostylis bicornis* D.L.Jones et M.A.Clem.

Petrorchis bicornis (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 83 (2002).

- Phaius* Lour., Fl. Cochinch. 517, 529 (1790). Type species: *Phaius grandiflorus* Lour.
Phaius amboinensis Blume, Mus. Bot. 2: 180 (1856)
Phaius australis F.Muell., Fragm. 1: 42 (1858).
Phaius bernaysii Rowland ex Rchb.f., Gard. Chron. (new ser.), 30: 361, t. 1244 (1873).
Phaius pictus T.E.Hunt, Victorian Naturalist 69: 27 (1952).
***Phaius tankervilleae* (Banks ex L'Herit.) Blume, Mus. Bot. 2: 177 (1852).
***Phaius wallichii* Lindl. in N.Wallich, Pl. Asiat. Rar. 2: 46 (1831).
- Phalaenopsis* Blume, Bijdr. 7: 294 (1825). Type species: *Epidendrum amabilis* L.
Phalaenopsis rosenstromii F.M.Bailey, Queensland Agric. J. 17: 231 (1906).
- Pharochilum* D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 83 (2002). Type species: *Pterostylis daintreana* Benth.
Pharochilum daintreanum (Benth.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 84 (2002).
- Pheladenia* D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (Oct. 2001). Type species: *Caladenia deformis* R.Br.
Pheladenia deformis (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (2001).
- Pholidota* Lindl. ex Hook., Exot. Fl. 2, t. 138 (1825). Type species: *Pholidota imbricata* Hook.
Pholidota imbricata Hook., Exot. Fl. 2, t. 138 (1825).
- Phoringopsis* D.L.Jones et M.A.Clem., Orchadian 13(10): 457 (Feb. 2002). Type species: *Arthrochilus byrnesii* Blaxell.
Phoringopsis byrnesii (Blaxell) D.L.Jones et M.A.Clem., Orchadian 13(10): 457 (2002).
Phoringopsis dockrillii (Lavarack) D.L.Jones et M.A.Clem., Orchadian 13(10): 457 (2002).
Phoringopsis lavarackiana D.L.Jones, Orchadian 14(8): Sci. Suppl. xi (June 2004).
- Phreatia* Lindl., Gen. sp. orchid. pl. 63 (1830). Type species: *Phreatia elegans* Lindl.
Phreatia paleata Rchb.f., Linnaea 41: 653 (1877).
- Pinalia* Lindl., Orch. Scel. 14, 21, 23 (1826). Type species: *Pinalia alba* Buch.-Ham., *ined.* = *Octomeria spicata* D.Don, *vide* Lindl. (1826).
Pinalia kingii (F.Muell.) Kuntze, Rev. Gen. Pl. 679 (1891).
- Plectorrhiza* Dockrill, Austral. Sarcanth. 27 (1967). Type species: *Cleisostoma tridentata* Lindl.
Plectorrhiza brevilabris (F.Muell.) Dockrill, Austral. Sarcanth. 28, t. 12 (1967).
Plectorrhiza erecta (Fitzg.) Dockrill, Austral. Sarcanth. 28, t. 13 (1967).
Plectorrhiza tridentata (Lindl.) Dockrill, Austral. Sarcanth. 27, t. 14 (1967).
- Plexaure* Endl., Prodr. Fl. Norfolk. 30. (post 12 May 1833). Type species: *Plexaure limenophylax* Endl.
Plexaure crassiuscula (Nicholls) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xiv (June 2004).
Plexaure limenophylax Endl., Prod. Fl. Norf. 30 (1833).
Plexaure listeri (Rolfe) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xiv (June 2004).
- Plumatichilos* Szlach., Polish Bot. J. 46(1): 22 (2001). Type species: *Pterostylis barbata* Lindl.
Plumatichilos barbatum (Lindl.) Szlach., Polish Bot. J. 46(1): 23 (2001).
Plumatichilos plumosum (Cady) Szlach., Polish Bot. J. 46(1): 23 (2001).
Plumatichilos tasmanicum (D.L.Jones) Szlach., Polish Bot. J. 46(1): 23 (2001).
Plumatichilos turfosum (Endl.) Szlach., Polish Bot. J. 46(1): 23 (2001).
- Pomatocalpa* Breda, Kuhl et Hasselt in Breda, Gen. sp. Orchid. Ascelp. (29), t. [15] (1829). Type species: *Pomatocalpa spicatum* Breda.
Pomatocalpa macphersonii (F.Muell.) T.E.Hunt, Queensland Naturalist 16: 27 (1958).

Pomatocalpa marsupiale (Kraenzl.) J.J.Sm., Natuurk. tijdschr. Ned.-Indie 72: 105 (1912).

Praecoxanthus Hopper et A.P.Br., Lindleyana 15(2): 124 (2000). Type species: *Caladenia aphylla* Benth.
Praecoxanthus aphyllus (Benth.) Hopper et A.P.Br., Lindleyana 15(2): 124 (2000).

Prasophyllum R.Br., Prod. 317 (1810). Type species: *Prasophyllum australe* R.Br., fide N.Hallé (1977).

Prasophyllum affine Lindl., Gen. sp. orchid. pl. 516 (1830).

Prasophyllum alpestre D.L.Jones, Austral. Orch. Res. 3: 98-99, f.6.1 (1998).

Prasophyllum alpinum R.Br., Prod. 318 (1810).

Prasophyllum amoenum D.L.Jones, Austral. Orch. Res. 3: 99-100, f.6.2 (1998).

Prasophyllum anticum D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 143-144, f.5.1, t. (21 Dec. 2006).

Prasophyllum apoxychilum D.L.Jones, Austral. Orch. Res. 3: 100-101, f.6.3 (1998).

Prasophyllum appendiculatum Nicholls, Victorian Naturalist 66: 212, f. F-J (1950).

Prasophyllum atratum D.L.Jones, Austral. Orchid. Res. 5: 144-145, f.5.2, t. (21 Dec. 2006).

Prasophyllum australe R.Br., Prod. 318 (1810).

Prasophyllum bagoensis D.L.Jones, Orchadian 13(4): 150-151, f. 1 (2000).

Prasophyllum barnettii D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 145-146, f.5.3, t. (21 Dec. 2006).

Prasophyllum beatrix D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 146, f.5.4, t. (21 Dec. 2006).

Prasophyllum brevilibre (Lindl.) Hook.f., Fl. Tasman. 2: 11, t. 110, f. A. (1858).

Prasophyllum brownii Rchb.f., Beitr. Syst. Pflanzenk. 16 (1871).

Prasophyllum calcicola R.J. Bates, J. Adel. Bot. Gard. 11: 179, fig. 1 (20 Jul. 1989).

Prasophyllum campestre R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 75-76, f. 101 (1991).

Prasophyllum canaliculatum D.L.Jones, Orchadian 12(3): 125-127, t., f. (1997).

Prasophyllum candidum R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 76-77, f. 102 (1991).

Prasophyllum caricetum D.L.Jones, Orchadian 13(4): 151-155, f. 2 (2000).

Prasophyllum castaneum D.L.Jones, Austral. Orch. Res. 3: 102-103, f.6.4 (1998).

Prasophyllum catenenum D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 146-147, f. 5.5 (21 Dec. 2006).

Prasophyllum caudiculum D.L.Jones, Orchadian 13(4): 155-156, f. 3 (2000).

Prasophyllum colemaniae R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 47: 337 (1923).

Prasophyllum collinum D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 147-148, f. 5.6 (21 Dec. 2006).

Prasophyllum concinnum Nicholls, Victorian Naturalist 64: 232, f. A-E (1948).

Prasophyllum constrictum R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 33: 213-4, t. 13 B, f. 1-5 (1909).

Prasophyllum correctum D.L.Jones, Novon 4(2): 106-108 (1994).

Prasophyllum crebriflorum D.L.Jones, Muelleria 18: 103-104, f. 3 (2004).

Prasophyllum cyphochilum Benth., Fl. Austral. 5: 340 (1873).

Prasophyllum diversiflorum Nicholls, Victorian Naturalist 59: 8, 12, f. A-L (1942).

Prasophyllum dossenum R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 77-78, f. 104 (1991).

Prasophyllum drummondii Rchb.f., Beitr. Syst. Pflanzenk. 69 (1871).

Prasophyllum elatum R.Br., Prod. 318 (1810).

Prasophyllum erythrocommum D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 148-149, f.5.7, t. (21 Dec. 2006).

Prasophyllum exilis D.L.Jones et R.J. Bates, Austral. Orch. Res. 2: 78, f. 105 (1991).

Prasophyllum favonium D.L.Jones, Austral. Orch. Res. 3: 104-105, f.6.5 (1998).

Prasophyllum fecundum R.J. Bates, J. Adelaide Bot. Gard. 11: 189, f. 1 (20 July 1989).

Prasophyllum fimbria Rchb.f., Beitr. Syst. Pflanzenk. 60 (1871). rald s.n. (holo NSW).

Prasophyllum fitzgeraldii R.S.Rogers et Maiden, Trans. & Proc. Roy. Soc. South Australia 33: 216, IX, t. 9A, F. 1-8 (1909).

Prasophyllum flavum R.Br., Prod. 318 (1810).

Prasophyllum fosteri D.L.Jones, Orchadian 13(4): 156-157, f. 4 (2000).

Prasophyllum frenchii F.Muell., Victorian Naturalist 6: 126 (1889).

Prasophyllum fuscum R.Br., Prod. 318 (1810).

Prasophyllum giganteum Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liv_ (1840).

Prasophyllum gilgai D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 149-150, t. (21 Dec. 2006).

- Prasophyllum goldsackii* J. Weber et R. Bates, J. Adelaide Bot. Gard. 1: 167, f.1 (1978).
- Prasophyllum gracile* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liv (1840).
- Prasophyllum gracillimum* Nicholls, Victorian Naturalist 64: 175, f. G-I (1948).
- Prasophyllum helophilum* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 150-151, f.5.9 (21 Dec. 2006).
- Prasophyllum hians* Rchb.f., Beitr. Syst. Pflanzenk. 59, in obs. 61 (1871).
- Prasophyllum hygrophilum* D.L.Jones et D.Rouse, Orchadian 14(6): 282-284, f. 1 (2003).
- Prasophyllum incompositum* D.L.Jones, Austral. Orch. Res. 2: 78-79, f. 106 (1991).
- Prasophyllum incorrectum* D.L.Jones, Muelleria 18: 103-1045, f. 3 (2004).
- Prasophyllum incurvum* D.L.Jones, Austral. Orch. Res. 3: 106-107, f.6.6 (1998).
- Prasophyllum innubum* D.L.Jones, Orchadian 15(8): 372-373, f.1,a-d (2007).
- Prasophyllum keltonii* D.L.Jones, Orchadian 15(8): 372-373, f.1,e-h (2007).
- Prasophyllum lanceolatum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 44: 325 (1920).
- Prasophyllum limnetes* D.L.Jones, Austral. Orchid. Res. 5: 151-152 (21 Dec. 2006).
- Prasophyllum lindleyanum* Rchb.f., Beitr. Syst. Plf. 3: 58 (1871).
- Prasophyllum litorale* R.J.Bates, J. Adelaide Bot. Gard. 13: 59 (1990).
- Prasophyllum maccanui* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 152-153, f.5.9, t. (21 Dec. 2006).
- Prasophyllum macrostachyum* R.Br., Prod. 318 (1810).
- Prasophyllum macrotys* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liv (1840).
- Prasophyllum milfordense* D.L.Jones, Austral. Orch. Res. 3: 107-108, f. 6.7 (1998).
- Prasophyllum minus* D.L.Jones, Orchadian 14(8): 372-373, f.1, t. (2004).
- Prasophyllum montanum* R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 79-80, f. 107 (1991).
- Prasophyllum morgani* Nicholls, Victorian Naturalist 46: 179, t. 7 (1930).
- Prasophyllum murfetii* D.L.Jones, Orchadian 13(4): 160-161, f. 5 (2000).
- Prasophyllum niphopedium* D.L.Jones, Orchadian 13(4): 161-162, f. 6 (2000).
- Prasophyllum occidentale* R.S. Rogers, Trans. & Proc. Roy. Soc. South Australia 32: 11 (1908); emend Trans. & Proc. Roy. Soc. South Australia 33: 214, Pl. B X II, f. 1-9 (1909).
- Prasophyllum occultans* R.J.Bates, J. Adelaide Bot. Gard. 11: 192, f. 2. (20 July 1989).
- Prasophyllum odoratissimum* D.L.Jones, Orchadian 12(2): 53-55, f. (1996).
- Prasophyllum odoratum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 33: 209, t. 9b, f. 1-9 (1909).
- Prasophyllum olidum* D.L.Jones, Austral. Orch. Res. 3: 108-109, f. 6.8 (1998).
- Prasophyllum ovale* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liv_(1840).
- Prasophyllum pallens* D.L.Jones, Orchadian 13(4): 162-167, f. 7 (2000).
- Prasophyllum pallidum* Nicholls, Proc. Roy. Soc. Victoria (new ser.) 46: 33, f. P-U (1933).
- Prasophyllum parviflorum* Nicholls, Victorian Naturalist 57: 191, f. A-I (1941).
- Prasophyllum patens* R.Br., Prod. 318 (1810).
- Prasophyllum paulinae* D.L.Jones et M.A.Clem., Nuytsia 10(3): 414-16, f. 3 (1996).
- Prasophyllum perangustum* D.L.Jones, Austral. Orch. Res. 3: 109-110, f. 6.9 (1998).
- Prasophyllum petilum* D.L.Jones et R.J. Bates, Austral. Orch. Res. 2: 80, f. 108 (1991).
- Prasophyllum plumiforme* Fitzg., Gard. Chron. (new ser.) 17: 495 (1882).
- Prasophyllum praecox* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 153, f.5.10, t. (21 Dec. 2006).
- Prasophyllum pruinatum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 33: 211-2, t. 11B, f. 1-8 (1909).
- Prasophyllum pulchellum* D.L.Jones, Austral. Orch. Res. 3: 110-111, f. 6.10 (1998).
- Prasophyllum pyriforme* E.Coleman, Victorian Naturalist 49: 195, t. 14 (1932).
- Prasophyllum readii* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 154-155, f.5.11, t. (21 Dec. 2006).
- Prasophyllum regium* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 42: 27 (1918).
- Prasophyllum retroflexum* D.L.Jones, Orchadian 13(4): 167-169, f. 8 (2000).
- Prasophyllum robustum* (Nicholls) M.A.Clem. et D.L.Jones, Austral. Orchid Res. 1: 117 (1989).
- Prasophyllum rogersii* Rupp, Proc. Linn. Soc. New South Wales 53: 340 (1928).
- Prasophyllum rostratum* Lindl., Gen. sp. orchid. pl. 516 (1840).
- Prasophyllum rotundiflorum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 33: 210 (1909).
- Prasophyllum sargentii* (Nicholls) A.S.George, Nuytsia, 1(2): 189 (1971).

- Prasophyllum secutum* D.L.Jones, Austral. Orch. Res. 3: 113-114, f. 6.11 (1998).
Prasophyllum solstitium D.L.Jones, Orchadian 13(4): 169-170, f. 9 (2000).
Prasophyllum sphacelatum D.L.Jones, Muelleria. 9: 59-61, f. 4 (1996).
Prasophyllum spicatum R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 80-81, f. 109 (1991).
Prasophyllum stellatum D.L.Jones, Austral. Orch. Res. 3: 115-116, f. 6.13 (1998).
Prasophyllum suaveolens D.L.Jones et R.J.Bates, Muelleria 8(2): 184-185, f. 2 g-j (1994).
Prasophyllum subbisectum Nicholls, Victorian Naturalist 53: 72, f. A-H (1936).
Prasophyllum suttonii R.S.Rogers et B. Rees, Proc. Roy. Soc. Victoria (new ser.) 25: 112, t. 6, f. A-C (1912).
Prasophyllum sylvestre R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 81-82, f. 110 (1991).
Prasophyllum tadgellianum R.S.Rogers, Trans. & Proc. Soc. South Australia 47: 338-9 (1923).
Prasophyllum taphanynx D.L.Jones, Orchadian 14(8): 373-374, f.2, t. (2004).
Prasophyllum triangulare Fitzg., Gard. Chron. (new ser.) 17: 495 (1882).
Prasophyllum truncatum Lindl., Gen. sp. orchid. pl. 513 (1840).
Prasophyllum tunbridgense D.L.Jones, Austral. Orch. Res. 3: 117-118, f. 6.15 (1998).
Prasophyllum validum R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 7 (1927).
Prasophyllum venustum D.L.Jones et D.T.Rouse, Orchadian 15(12): 559, 561, t. (June 2008).
Prasophyllum viretrum D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 155-156, f.5.12, t. (21 Dec. 2006).
Prasophyllum viriosum D.L.Jones et D.T.Rouse, Orchadian 15(12): 561, t. (June 2008).
Prasophyllum wallum R.J.Bates et D.L.Jones, Austral. Orch. Res. 2: 82, f. 111 (1991).
Prasophyllum wilkinsoniorum D.L.Jones, Orchadian 13(4): 170-172, f. 10 (2000).
- Pseudovanilla* Garay, Bot. Mus. Leafl. 30(4): 214 (1986). Type species: *Ledgeria foliata* F.Muell.
Pseudovanilla foliata (F.Muell.) Garay, Bot. Mus. Leafl. 30(4): 235 (1986).
- Pterostylis* R.Br., Prod. 326 (1810)(*nom. cons.*). Type species: *Pterostylis curta* R.Br. (type cons.).
Pterostylis acuminata R.Br., Prod. 326-327 (1810).
Pterostylis alpina R.S.Rogers, Proc. Roy. Soc. Victoria (new ser.) 28: 108-109, t. 9 (1915).
Pterostylis anatona D.L.Jones, Orchadian 12 (6): 245-246, fig. (1997).
Pterostylis aneba D.L.Jones, Austral. Orchid. Res. 5: 85-86, f.3.17, t. (21 Dec. 2006).
Pterostylis baptistii Fitzg., Austral. orch. 1(1): [t. 2] (1875).
Pterostylis crassichila D.L.Jones, Austral. Orchid. Res. 5: 86 (21 Dec. 2006).
Pterostylis cucullata R.Br. subsp. *cucullata*, Prod. 327 (1810).
Pterostylis cucullata subsp. *sylvicola* D.L.Jones, Austral. Orchid. Res. 5: 86-87, f.3.18 (21 Dec. 2006).
Pterostylis curta R.Br., Prod. 326 (1810).
Pterostylis dubia R.Br., Prod. 328 (1810).
Pterostylis erecta T.E.Hunt, Proc. Roy. Soc. Queensland 69: 89, fig. (1958).
Pterostylis falcata R.S.Rogers, Proc. Roy. Soc. Victoria (new ser.) 28(1): 106-107, t. 9 (1915).
Pterostylis foliata Hook.f., Fl. nov.-zel. 1: 249 (1853).
Pterostylis furcata Lindl., Gen. sp. orchid. pl. 390 (1840).
Pterostylis hildae Nicholls, Queensland Naturalist 10: 39-40, t. 3 (1937).
Pterostylis hispidula Fitzg., Austral. orch. 1(6): [t. 5] (1880).
Pterostylis lustra D.L.Jones, Austral. Orchid. Res. 5: 87, f.3.19 (21 Dec. 2006).
Pterostylis monticola D.L.Jones, Muelleria 8(2): 189-190, fig. 3h-k (1994).
Pterostylis nutans R.Br., Prod. 327 (1810).
Pterostylis oblonga D.L.Jones, Austral. Orchid. Res. 5: 87-88 (21 Dec. 2006).
Pterostylis oreophila Clemesha, Orchadian 4 (11): 110, fig. (1974).
Pterostylis pedunculata R.Br., Prod. 327 (1810).
Pterostylis procera D.L.Jones et M.A.Clem., Austral. Orch. Res. 1: 125, fig. 3A-C (1989).
Pterostylis riparia D.L.Jones, Austral. Orchid. Res. 5: 88, t. (21 Dec. 2006).
Pterostylis scabrida Lindl., Gen. sp. orchid. pl. 389 (1840).
Pterostylis stricta Clemesha et B.Gray, Orchadian 4 (2): 18-22, fig. (1972).
Pterostylis subtilis D.L.Jones, Austral. Orchid. Res. 5: 88, f.3.20 (21 Dec. 2006).
Pterostylis ×aenigma D.L.Jones et M.A.Clem., Muelleria 8(1): 73-75, fig. 1a-e (1993).

- Pterostylis xingens* (Rupp) D.L.Jones, Orchadian 5: 54 (1976).
- Pyrorchis* D.L.Jones et M.A.Clem. Phytologia 77(6): 499 (1994). Type species: *Lyperanthus nigricans* R.Br.
Pyrorchis forrestii (F.Muell.) D.L.Jones et M.A.Clem. Phytologia 77(6): 499 (1994).
Pyrorchis nigricans (R. Br.) D.L.Jones et M.A.Clem. Phytologia 77(6): 499 (1994).
- Ranorchis* D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 86 (2002). Type species: *Pterostylis sargentii* C.R.P.Andrews.
Ranorchis sargentii (C.R.P.Andrews) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 86 (2002).
- Rhinerrhiza* Rupp, Victorian Naturalist 67: 206 (1951). Type species: *Sarcochilus divitiflora* Benth.
Rhinerrhiza divitiflora (F.Muell. ex Benth.) Rupp, Victorian Naturalist 67: 206 (1951).
- Rhinerrhizopsis* Ormerod, Oasis, Suppl. 1: 2 (2001). Type species: *Thrixspermum moorei* Rchb.f.
Rhinerrhizopsis matutina D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 11-12, f. 1.15 (21 Dec. 2006).
- Rhipidorchis* D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiv-xv (2004). Type species: *Oberonia micrantha* A.Rich.
Rhipidorchis micrantha (A.Rich.) D.L.Jones et M.A.Clem., Orchadian 14(8: Scientific Suppl.): xv (June 2004).
- Rhizanthella* R.S.Rogers, J. Roy. Soc. West Australia 15: 1 (1928). Type species: *Rhizanthella gardneri* R.S.Rogers.
Rhizanthella gardneri R.S.Rogers, J. Roy. Soc. West Australia 15: 1 (1928).
Rhizanthella omissa D.L.Jones et M.A.Clem., Orchadian 15(3): 131-133, f. (2006).
Rhizanthella slateri (Rupp) M.A.Clem. et P.J.Cribb, Kew Mag. 1(2): 84-91 (1984).
- Rhomboda* Lindl., J. Linn. Soc., Bot. 1: 181 (21 Mar. 1857). Type species: *Rhomboda longifolia* Lindl.
Rhomboda polygonoides (F.Muell.) Ormerod, Orchadian 11(7): 333 (1995).
- Rimacola* Rupp, Victorian Naturalist 58: 188 (1942). Type species: *Lyperanthus ellipticus* R.Br.
Rimacola elliptica (R.Br.) Rupp, Victorian Naturalist 58: 188 (1942).
- Robiquetia* Gaud. in Freycinet, Voy. Monde Bot. 426 (1829). Type species: *Robiquetia ascendens* Gaud.
Robiquetia gracilistipes (Schltr.) J.J.Sm., Natuurk. Tijdschr. Nederl. Ind. 72: 43 (1912).
Robiquetia wassellii Dockrill, Austral. Sarcanth. 7, t. 19 (1967).
- Saccolabiopsis* J.J.Sm., Bull. Jard. Bot. Buitzenorg 26: 93 (1918). Type species: *Saccolabiopsis bahuizenii* J.J.Sm.
Saccolabiopsis armitii (F.Muell.) Dockrill, Austral. Sarcanth. 30, t. 20 (1967).
Saccolabiopsis rectifolia (Dockrill) Garay, Bot. Mus. Leafl. 23(4): 198 (1972).
- Salacistis* Rchb.f., Xenia Orchid. 1: 214 (21 Nov.1856). Type species: *Salacistis novembrilis* Rchb.f.
Salacistis ochroleuca (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xv (June 2004).
- Sarcanthopsis* Garay, Bot. Mus. Leafl. 23(4): 198-199 (30 June 1972). Type species: *Sarcanthus nagarensis* Rchb.f.
Sarcanthopsis waroqueana (Rolfe) Garay, Bot. Mus. Leafl. 23: 199 (30 June 1972).
- Sarcocadetia* (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002). Type species: *Dendrobium funiforme* Blume.
Sarcocadetia wariana (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002).
- Sarcochilus* R.Br., Prod. 332 (1810). Type species: *Sarcochilus falcatus* R.Br.

Sarcochilus aequalis D.L.Jones et M.A.Clem., Phytologia 71(4): 322-325, f. 1 (1991).
Sarcochilus argochilus D.L.Jones et M.A.Clem., Austral. Orch. Rev. 71(2): 21-23, t. (2006).
Sarcochilus australis (Lindl.) Rehb.f. in Walp., Ann. bot. syst. 6: 501 (1861).
Sarcochilus borealis (Nicholls) M.A.Clem. et D.L.Jones, Austral. Orch. Res. 1: 131 (1989).
Sarcochilus ceciliae F.Muell., Fragm. 5: 42, t. 42 (1865).
Sarcochilus dilatatus F.Muell., Fragm. 1: 191 (1859).
Sarcochilus eriochilus Fitzg., J. Bot. 29: 153 (1891).
Sarcochilus falcatus R.Br., Prod. 332 (1810).
Sarcochilus fitzgeraldii F.Muell., Fragm. 7: 115 (1870).
Sarcochilus hartmannii F.Muell., Fragm. 8: 248 (1874).
Sarcochilus hillii (F.Muell.) F.Muell., Fragm. 2: 94 (1860).
Sarcochilus hirticalcar (Dockrill) M.A.Clem. et B.J.Wallace, Austral. Orch. Res. 1: 133 (1989).
Sarcochilus minutiflos F.M. Bailey, Compr. cat. Queensland pl. 845, f. 974 (1913).
Sarcochilus parviflorus Lindl. in Edwards', Bot. Reg. 24: Misc. 34 (1838).
Sarcochilus roseus (Clemesha) Clemesha, Orchadian 3: 35-6 (1969).
Sarcochilus serrulatus D.L.Jones, Victorian Naturalist 89: 344, f. 1 (1972).
Sarcochilus spathulatus R.S. Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 1 (1927).
Sarcochilus weinthalii F.M. Bailey, Queensland Agric. J. 13: 346 (1903).

Schistotylus Dockrill, Austral. Sarcanth. 30, t. 43 (1967). Type species: *Cleisostoma gemmatum* Rupp.
Schistotylus purpuratus (Rupp) Dockrill, Austral. Sarcanth. 30, t. 43 (1967).

Schoenorchis Blume, Bijdr. 6: t. 3, f. 23; 8: 361 (1825). Type species: *Schoenorchis juncifolia* Blume.
Schoenorchis micrantha Reinwardt ex Blume, Bijdr. 1(8): 362 (1825).
Schoenorchis sarcophylla Schltr., Repert. Spec. Nov. Regni Veg. Beih. 1: 1022 (1914).

Serpenticaulis M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002). Type species: *Bulbophyllum bowkettiae* F.M.Bailey.
Serpenticaulis bowkettiae (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).
Serpenticaulis johnsonii (T.E.Hunt) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).
Serpenticaulis kirkwoodiae (T.E.Hunt) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).
Serpenticaulis whitei (T.E.Hunt et Rupp) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).
Serpenticaulis wolfei (B.Gray et D.L.Jones) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).

Simpliglottis Szlach., Polish Bot. J. 46(1): 13 (2001). Type species: *Chiloglottis valida* D.L.Jones.
Simpliglottis chlorantha (D.L.Jones) Szlach., Polish Bot. J. 46(1): 13 (2001).
Simpliglottis cornuta (Hook.f.) Szlach., Polish Bot. J. 46(1): 13 (2001).
Simpliglottis grammata (G.W.Carr) J.Jeanes, Muellera 16: 82 (2002).
Simpliglottis gunnii (Lindl.) Szlach., Polish Bot. J. 46(1): 13 (2001).
Simpliglottis jeanesii (D.L.Jones) J.Jeanes, Muellera 16: 82 (2002).
Simpliglottis pluricallata (D.L.Jones) Szlach., Polish Bot. J. 46(1): 13 (2001).
Simpliglottis triceratops (D.L.Jones) J.Jeanes, Muellera 16: 82 (2002).
Simpliglottis turfosa (D.L.Jones) Szlach., Polish Bot. J. 46(1): 13 (2001).
Simpliglottis valida (D.L.Jones) Szlach., Polish Bot. J. 46(1): 13 (2001).

Spathoglottis Blume, Bijdr. 6: t. 2, f. 76, 8: 400 (1825). Type species: *Spathoglottis plicata* Blume.
Spathoglottis paulinae F.Muell., Fragm. 6: 95 (1867).
Spathoglottis plicata Blume, Bijdr. 401, t. 76 (1825).

Speculantha D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 86 (2002). Type species: *Pterostylis parviflora* R.Br.
Speculantha aphylla (Lindl.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 87 (2002).
Speculantha atriola (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 87 (2002).
Speculantha multiflora D.L.Jones, Orchadian 15(12): 554, t. (June 2008).

Speculantha nigricans (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 87 (2002).

Speculantha parviflora (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 87 (2002).

Speculantha rubescens D.L.Jones, Orchadian 15(12): 554-555, t. (June 2008).

Speculantha uliginosa (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 87 (2002).

Speculantha vernalis D.L.Jones, Orchadian 15(6): 277-279, f. , t. (2006).

Spiculaea Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. lvi (1840).Type species: *Spiculaea ciliata* Lindl.

Spiculaea ciliata Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. lvi (1840).

Spilorchis D.L.Jones et M.A.Clem., Orchadian 15(1): 37 (2005).Type species: *Bulbophyllum weinthalii* R.S.Rogers

Spilorchis weinthalii (R.S.Rogers) D.L.Jones et M.A.Clem. subsp. *weinthalii*, Orchadian 15(1): 37 (2005).

Spilorchis weinthalii subsp. *striata* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 15(1): 37 (2005).

Spiranthes Rich., Orchideis Eur. Annot. 20, 28, 36 (1817); Mem. Mus. Hist. Nat. Paris 4: 42, 50, 58 (1818)(nom. cons.).Type species: *Spiranthes autumnalis* Rich., *nom. illeg. (Ophrys spiralis* L., *S. spiralis* (L.)K. Koch) (type cons.).

Spiranthes alticola D.L.Jones, Orchadian 15(12): 555, t. (June 2008).

Spiranthes australis (R.Br.) Lindl. in Edwards', Bot. Reg. 10: sub t. 823 (1824).

Stannorchis D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 87 (2002).Type species: *Pterostylis recurva* Benth.

Stannorchis recurva (Benth.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 89 (2002).

Stegostyla D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (2001).Type species: *Caladenia gracilis* R.Br.

Stegostyla alpina (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (2001).

Stegostyla angustata (Lindl.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

Stegostyla atrata (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

Stegostyla clarkiae (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

Stegostyla congesta (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

Stegostyla craccens (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

Stegostyla cucullata (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

Stegostyla dimorpha (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

Stegostyla gracilis (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

Stegostyla hildae (Pescott et Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

Stegostyla iridescens (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

Stegostyla moschata D.L.Jones, Orchadian 15(12): 555, 558, t. (June 2008).

Stegostyla praecox (Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

Stegostyla testacea (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

Stegostyla transitoria (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

Stegostyla ustulata D.L.Jones, Orchadian 15(7): 323-324, f.2 (2007).

Stilbophyllum D.L.Jones et M.A.Clem., Orchadian 13(11): 490 (2002)(sic '*Stelbophyllum*').Type species: *Bulbophyllum toressae* F.M.Bailey.

Stilbophyllum toressae (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 13(11): 485 (2002).

Sullivania F.Muell., J. Proc. Roy. Soc. New South Wales 15: 229 (1882).Type species: *Caleya sullivanii* F.Muell., *fide* Jones and Clements (2005).

Sullivania disjuncta (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 15(1): 36 (2005).

Sullivania minor (R. Br.) D.L.Jones et M.A.Clem., Orchadian 15(1): 36 (2005).

Sullivania nigrita (J.Drummond ex Lindl.) D.L.Jones et M.A.Clem., Orchadian 15(1): 36 (2005).

Taeniophyllum Blume, Bijdr. 6: t. 3, f. 70: 8: 355, t. 70 (1825). Type species: *Taeniophyllum obtusum* Blume.

Taeniophyllum confertum B.Gray et D.L.Jones, Orchadian 8(2): 42-43, f. (1984).

Taeniophyllum cymbiforme T.E.Hunt, North Queensland Naturalist 14(82): 20-21, f. (1947).

Taeniophyllum hasseltii Rchb.f., Xenia Orch. 2: 68 (1863).

Taeniophyllum lobatum Dockrill, Victorian Naturalist 73: 45, f. (1956).

Taeniophyllum malianum Schltr., Repert. Spec. Nov. Regni Veg. Beih. 1: 1022 (1914).

Taeniophyllum muelleri Benth., Fl. Austral. 6: 291 (1873).

Taeniophyllum wilkianum T.E.Hunt, North Queensland Naturalist 14(80): 3, f. (1946).

Tainia Blume, Bijdr. 6: t. 5, f. 48; 7: 354 (1825). Type species: *Tainia speciosa* Blume.

Tainia trinervis (Blume) Rchb.f., Bonplandia 5: 54 (1857).

Taurantha D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 85 (2002). Type species: *Pterostylis ophioglossa* R.Br.

Taurantha collina (Rupp) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 89 (2002).

Taurantha concinna (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 89 (2002).

Taurantha ophioglossa (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 89 (2002).

Taurantha taurus (M.A.Clem. et D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 89 (2002).

Taurantha ×conoglossa (Upton) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 91 (2002).

Tetrabaculum M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002). Type species: *Dendrobium tetragonum* A.Cunn.

Tetrabaculum cacatua (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002).

Tetrabaculum capitisyork (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002).

Tetrabaculum melaleucaphilum (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002).

Tetrabaculum tetragonum (A.Cunn.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002).

Thelasis Blume, Bijdr. 6: t. 2, f. 75; 8: 385, t. 75 (1825). Type species: *Thelasis carinata* Blume.

Thelasis capitata Blume, Bijdr. 8: 386 (1825).

Thelasis carinata Blume, Bijdr. 8: 385 (1825).

Thelychiton Endl., Prod. Fl. Norf. 32 (1833). Type species: *Thelychiton macropus* Endl., *vide* Clements (1989).

Thelychiton adae (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

Thelychiton biconvexus D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 36, t. (21 Dec. 2006).

Thelychiton brachypus Endl., Prodr. Fl. Norf. 33 (1833).

Thelychiton capricornicus (Clemesha) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

Thelychiton carnarvonensis (P.B.Adams) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

Thelychiton coriaceus D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 37-38, t. (21 Dec. 2006).

Thelychiton curvicaulis (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

Thelychiton epiphyticus D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 39 (21 Dec. 2006).

Thelychiton falcorostrus (Fitzg.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

Thelychiton finniganensis (D.L.Jones) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

Thelychiton fleckeri (Rupp et C.T.White) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

Thelychiton gracilicaulis (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

Thelychiton howeanus (Maiden) M.A.Clem. et D.L.Jones, Orchadian 15(1): 41 (2005).

Thelychiton jonesii (Rendle) M.A.Clem. et D.L.Jones subsp. *jonesii*, Orchadian 13(11): 491 (2002).

Thelychiton jonesii subsp. *bancroftianus* (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

Thelychiton jonesii subsp. *blackburnii* (Nicholls) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

Thelychiton kingianus (Bidw. ex Lindl.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 491 (2002).

Thelychiton macropus Endl., Prodr. Fl. Norf. 33 (1833).

- Thelychiton moorei* (F.Muell.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
Thelychiton nitidus (F.M.Bailey) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
Thelychiton pedunculatus (Clemesha) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
Thelychiton pulcherrimus (Rupp) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
Thelychiton rex (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
Thelychiton rupicola D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 40-41 (21 Dec. 2006).
Thelychiton speciosus (Sm.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
Thelychiton spectabilis D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 37-38, t. (21 Dec. 2006).
Thelychiton tarberi (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
Thelychiton ×*delicatus* (F.M. Bailey) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
Thelychiton ×*gracillimus* (Rupp) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
Thelychiton ×*kestevenii* (Rupp) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
Thelychiton ×*ruppiousus* (Clemesha) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
Thelychiton ×*suffusus* (Cady) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
- Thelymitra* J.R.Forst. et G.Forst., *Char. gen. pl.* 97, t. 49 (1776). Type species: *Thelymitra longifolia* J.R.Forst. et G.Forst.
- Thelymitra aggericola* D.L.Jones, *Orchadian* 12(11): 517-518, f., t. (1999).
Thelymitra albiflora J.Jeanes, *Muelleria* 19: 38-40, f. 2g-i, t. 1, 16 (2004).
Thelymitra angustifolia R.Br., *Prod.* 314 (1810).
Thelymitra antennifera (Lindl.) Hook.f., *Fl. Tasman.* 2: 4 (1858).
Thelymitra apiculata (A.S.George) M.A.Clem. et D.L.Jones, *Austral. Orch. Res.* 1: 137 (1989).
Thelymitra arenaria Lindl., *Gen. sp. orchid. pl.* 519-20 (1840).
Thelymitra aristata Lindl., *Gen. sp. orchid. pl.* 521 (1840).
Thelymitra atronitida J.Jeanes, *Muelleria* 14: 91-94, f. 1a-d, 2, 3 (2000).
Thelymitra azurea R.S.Rogers, *Trans. & Proc. Roy. Soc. South Australia* 4: 342, t. 17 (1917).
Thelymitra basaltica J.Jeanes, *Muelleria* 19: 35-36, f. 2a-c, t. 1, f. 13 (2004).
Thelymitra batesii J.Jeanes, *Muelleria* 19: 64-66, f. 4 a-c, 31, t. 3. (2004).
Thelymitra benthamiana Rchb.f., *Beitr. Syst. Pflanzenk.* 55 (1871).
Thelymitra bracteata J.Z.Weber ex J.Jeanes, *Muelleria* 19: 43-44, f. 3d-f, t. 2, f. 19 (2004).
Thelymitra brevifolia J.Jeanes, *Muelleria* 19: 30-32, 35, f. 1g-i, t. 1, f. 14 (2004).
Thelymitra campanulata Lindl. in Edwards's, *Bot. Reg.* 1-23: Swan Riv. Append. lix (1840).
Thelymitra canaliculata R.Br., *Prod.* 314 (1810).
Thelymitra carnea R.Br., *Prod.* 314 (1810).
Thelymitra circumsepta Fitzg., *Austral. orch.* 1(4): [t. 1] (1878).
Thelymitra cornicina Rchb.f., *Beitr. Syst. Pflanzenk.* 54 (1871).
Thelymitra crinita Lindl. in Edwards's, *Bot. Reg.* 1-23: Swan Riv. Append. xlv (1840).
Thelymitra cucullata Rupp, *Austral. Orchid Rev.* 11: 71 (1946).
Thelymitra cyanapicata J.Jeanes, *Muelleria* 19: 40-41, 43, f. 3a-c, t. 2, f. 18 (2004).
Thelymitra cyanea (Lindl.) Benth., *Fl. Austral.* 6: 323 (1873).
Thelymitra dedmaniarum R.S.Rogers, *Trans. & Proc. Roy. Soc. South Australia* 62: 13 (1938) [*sic* "dedmanae"].
Thelymitra epipactoides F.Muell., *Fragm.* 5: 174 (1866).
Thelymitra erosa D.L.Jones et M.A.Clem., *Austral. Orchid Res.* 3: 184-186, f. 8.1, a-c (1998).
Thelymitra exigua J.Jeanes, *Muelleria* 19: 28-30, f. 1d-f, t. 1, f. 10 (2004).
Thelymitra flexuosa Endl., *Nov. stirp. dec.* 3: 23 (1839).
Thelymitra fragrans D.L.Jones et M.A.Clem., *Austrobaileya* 2(5): 550-52, f. 2 C & D (1988).
Thelymitra frenchii J.Jeanes, *Muelleria* 19: 66-67, f. 4d-f, 33, t. 3 (2004).
Thelymitra fuscolutea R.Br., *Prod.* 315 (1810).
Thelymitra graminea Lindl. in Edwards's, *Bot. Reg.* 1-23: Swan Riv. Append. xlix (1840).
Thelymitra grandiflora Fitzg., *Gard. Chron. (new ser.)* 17: 495 (1882).
Thelymitra granitora D.L.Jones et M.A.Clem., *Orchadian* 12(7): 326-327, f., t. (1998).
Thelymitra gregaria D.L.Jones et M.A.Clem., *Orchadian* 12(7): 327, 330, f., t. (1998).
Thelymitra hiemalis D.L.Jones et M.A.Clem., *Orchadian* 12(7): 330-331 (1998).
Thelymitra holmesii Nicholls, *Victorian Naturalist* 49: 263, f. (1933).

- Thelymitra imbricata* D.L.Jones et M.A.Clem. Austral. Orchid Res. 3: 186-187 (1998).
Thelymitra improcera D.L.Jones et M.A.Clem., Austral. Orchid Res. 3: 187-188 (1998).
Thelymitra inflata J.Jeanes, Muelleria 19: 71-73, f.7g-I, 37, t. 4. (2004).
Thelymitra ixiooides Sw., Ksvenska Vet. Akad. Handl. 21: 253, t. III, f. L (1800).
Thelymitra jonesii J.Jeanes, Muelleria 15: 81-83, f.1g-i, 5 (2001).
Thelymitra juncifolia Lindl., Gen. sp. orchid. pl. 522 (1840).
Thelymitra latiloba J.Jeanes, Muelleria 15: 83-85, f.2a-c, 6 (2001).
Thelymitra longiloba D.L.Jones et M.A.Clem., Austral. Orchid Res. 3: 191-192, f. 8.1, d-g (1998).
Thelymitra lucida J.Jeanes, Muelleria 19: 70-71, f. 7d-f, 36, t.4 (2004).
Thelymitra luteocilium Fitzg., Gard. Chron. (new ser.), 17: 495 (1882).
Thelymitra macrophylla Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. ixl (1840).
Thelymitra malvina M.A.Clem., D.L.Jones et Molloy, Austral. Orchid Res. 1: 141 (1989).
Thelymitra matthewsii Cheeseman, Trans. & Proc. New Zealand Inst. 43: 177 (1911).
Thelymitra media R.Br., Prod. 314 (1810).
Thelymitra megalyptra Fitzg., Austral. orch. 1(5): [t. 2] (1879).
Thelymitra mucida Fitzg., Gard. Chron. (new ser.), 17: 495 (1882).
Thelymitra nuda R.Br., Prod. 314 (1810).
Thelymitra occidentalis J.Jeanes, Muelleria 15: 85-88, f.2d-f, 7 (2001).
Thelymitra pallidiflora J.Jeanes, Muelleria 19: 44-46, f. 3g-i, t. 2, f. 21 (2004).
Thelymitra pauciflora R.Br., Prod. 314 (1810).
Thelymitra peniculata J.Jeanes, Muelleria 19: 50-52, f. 5d-f, t. 2, f. 25 (2004).
Thelymitra planicola J.Jeanes, Muelleria 14: 94-96, f.1e-h,4,5 (2000).
Thelymitra polychroma D.L.Jones et M.A.Clem., Austral. Orchid Res. 3: 193-194, f. 8.1, h-j (1998).
Thelymitra psammophila C.R.P.Andrews, J. Western Australia Nat. Hist. Soc. 2 (2): 57-8 (1905).
Thelymitra purpurata Rupp, Proc. Linn. Soc. New South Wales 70: 288, f. 1 (1946).
Thelymitra reflexa J.Jeanes, Muelleria 21: 89-90, f.1,2 (2005).
Thelymitra rubra Fitzg., Gard. Chron. (new ser.), 17: 495 (1882).
Thelymitra sargentii R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 54: 41 (1930).
Thelymitra silena D.L.Jones, Orchadian 12(11): 518-519, f., t. (1999).
Thelymitra simulata D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 195-196, f. 8.2, a-c. (1998).
Thelymitra spadicea D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 196-197 (1998).
Thelymitra sparsa D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 197-198, f. 8.2, g-i. (1998).
Thelymitra spiralis (Lindl.) F.Muell. var. *spiralis*, Fragm. 5: 98 (1865).
Thelymitra spiralis var. *pulchella* Nicholls, Victorian Naturalist 66: 56 (1949).
Thelymitra stellata Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. xlix (1840).
Thelymitra tigrina R.Br., Prod. 315 (1810).
Thelymitra variegata (Lindl.) F.Muell., Fragm. 5: 98 (1865).
Thelymitra venosa R.Br., Prod. 314 (1810).
Thelymitra versicolor Lindl., Gen. sp. orchid. pl. 520 (1840).
Thelymitra villosa Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append xlix (1840).
Thelymitra viridis J.Jeanes, Muelleria 19: 36, 38, f. 2d-f, t. 1, f.14 (2004).
Thelymitra vulgaris J.Jeanes, Muelleria 19: 58, 61-62, f.2d-f, 42 (2004).
Thelymitra xanthotricha J.Jeanes, Muelleria 19: 75-77, f. 8d-f, 41, t. 4 (2004).
Thelymitra ×*chasmogama* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 4 (1927).
Thelymitra ×*irregularis* Nicholls, Victorian Naturalist 63: 126, f. A-C (1946).
Thelymitra ×*mackibbinii* F.Muell., Chem. & Druggist Aust., Suppl. 42: 44 (1881).
Thelymitra ×*macmillanii* F.Muell., Fragm. 5: 93 (1865).
Thelymitra ×*merraniae* Nicholls, Victorian Naturalist 46: 139 (1929).
Thelymitra ×*truncata* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 41: 343, t. 17 (1917).
- Thrixspermum* Lour., Fl. Cochinch. 2: 519 (1790). Type species: *Thrixspermum centipeda* Lour.
Thrixspermum carinatifolium (Ridley) Schltr., Orchis 5: 56 (1911).
Thrixspermum congestum (F.M.Bailey) Dockrill, Austral. Sarcanth. 27, t. 35 (1967).
Thrixspermum platystachys (F.M.Bailey) Schltr., Orchis 5: 55 (1911).

Thynninorchis D.L.Jones et M.A.Clem., *Orchadian* 13(10): 457 (Feb. 2002). Type species: *Drakaea huntiana* F.Muell.

Thynninorchis huntiana (F.Muell.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 457 (2002).

Thynninorchis nothofagicola (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 457 (2002).

Townsonia Cheesem., *Manual New Zealand Fl.* 691 (1906). Type species: *Townsonia deflexa* Cheesem.

Townsonia viridis (Hook.f.) Schltr., *Repert. Sepe. Nov. Regni Veg.* 9: 250 (1911).

Trachoma Garay, *Bot. Mus. Leafl.* 23: 207 (1972). Type species: *Dendrocolla rhopalorrhachis* Rehb.f.

Trachoma speciosum D.L.Jones, B.Gray, M.A.Clem. et J.J. Wood, *Austral. Orchid Res.*, 1: 145 (1989).

Trachoma stellatum M.A.Clem., D.L.Jones, B.Gray et J.J. Wood, *Austral. Orchid Res.*, 1: 146 (1989).

Trachoma subluteum (Rupp) Garay, *Bot. Mus. Leafl Harvard Univ.*, 23(4): 208 (1972).

Trachyrhizum (Schltr.) Brieger, *Schlechter Orchideen* (ed. 3), 1: 687 (1981). Type species: *Dendrobium chalmersii* F.Muell., *vide* Brieger (1981).

Trachyrhizum agrostophyllum (F.Muell.) Rauschert, *Feddes Repert.* 94(7–8): 468 (1983).

Trichoglottis Blume, *Bijdr.* 6: t. 3, f. 8, 8: 359 (1825). Type species: *Trichoglottis retusa* Blume.

Trichoglottis australiensis Dockrill, *Orchadian* 2: 106, f. (1967).

Tropidia Lindl. in Edwards's, *Bot. Reg.* 19: sub t. 1618 (1833). Type species: *Tropidia curculigoides* Lindl.

Tropidia territorialis D.L.Jones et M.A.Clem., *Orchadian* 14(8): Sci. Suppl. xi-xii (June 2004).

Tropidia viridifusca Kraenzl., *Vierteljahrsschr. Naturf. Ges. Zurich* 74: 71 (1929).

Tropilis Rafin., *Fl. Tell.* 2: 95 (1837). Type species: *Dendrobium aemulum* R.Br.

Tropilis aemula (R.Br.) Rafin., *Fl. Tell.* 2: 95 (1837).

Tropilis angusta D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 14, t. (21 Dec. 2006).

Tropilis callitrophilis (B.Gray et D.L.Jones) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).

Tropilis crassa D.L.Jones, B.Gray et M.A.Clem., *Austral. Orchid. Res.* 5: 14-15, t. (21 Dec. 2006).

Tropilis eburnea D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 15, t. (21 Dec. 2006).

Tropilis eungellensis D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 15-16, t. (21 Dec. 2006).

Tropilis radiata D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 16, t. (21 Dec. 2006).

Urochilus D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 91 (2002). Type species: *Pterostylis vittata* Lindl.

Urochilus concavus (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 91 (2002).

Urochilus sanguineus (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 91 (2002).

Urochilus vittatus (Lindl.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 91 (2002).

Vanda W.Jones ex R.Br. in Edwards's, *Bot. Reg.* 6: t. 506 (1820). Type species: *Vanda roxburghii* R.Br.

Vanda hindsii Lindl., *London J. Bot.* 2: 237 (1843).

**Vanilla* P.Miller, *Gard. Dict. Abr.* (ed. 4), 2, without page number (28 Jan. 1754). Lectotype species:

Epidendrum vanilla L. (= *Vanilla mexicana* P.Miller), *vide* Mansfeld (1959).

**Vanilla planifolia* Andrews, *Bot. Repos.* 8: t. 538 (Nov 1808).

Vappodes M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002). Type species: *Dendrobium bigibbum* Lindl.

Vappodes bigibba (Lindl.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).

Vappodes dicupha (F.Muell.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).

Vappodes lithocola (D.L.Jones et M.A.Clem.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).

Vappodes phalaenopsis (Fitzg.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).

Vrydagzynea Blume, Collect. Orchidees 71 (1858); Fl. Javae Nova Ser. 59 (1858). Type species: *Hetaeria albida* Blume, *fide* Averyanov (1990).

Vrydagzynea grayi D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xii (2004).

×*Chilosimpliglottis* J.Jeanes, Muellera 16: 81 (2002).

×*Chilosimpliglottis pescottiana* (R.S.Rogers) J.Jeanes, Muellera 16: 81 (2002).

×*Cyanthera* N.Hoffman et A.P.Br., Orchids South-West Austral. (ed. 2), 156 (1992).

×*Cyanthera glossodioides* N.Hoffman et A.P.Br., Orchids South-West Austral. (ed. 2), 156 (1992), *nom. inval.*

×*Drakodenia* N.Hoffman et A.P.Br., Hopper et A.P.Br., Orchids South-West Austral. (ed. 2), 192 (1992).

×*Drakodenia enigma* N.Hoffman et A.P.Br., Orchids South-West Austral. (ed. 2), 193 (1992), *nom. inval.*

×*Drakodenia ornata* N.Hoffman et A.P.Br., Hopper et A.P.Br., Orchids South-West Austral. (ed. 2), 194 (1992).

×*Glossadenia* J.Kuvulak, The Australian Native Orchid Hybrid Guide (ed. 1), 7 (1986).

×*Glossadenia tutulata* (R.S.Rogers) J.Kuvulak, The Australian Native Orchid Hybrid Guide (ed. 1), 7 (1986).

×*Taurodium* D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 91 (2002).

×*Taurodium furcillatum* (Rupp) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 74 (2002).

×*Taurodium toveyanum* (Ewart et Sharman) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 74 (2002).

×*Vappacalum* M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

×*Vappacalum lavarackianum* (M.A.Clem.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

×*Vappacalum superbiens* (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

×*Vappaculum vinicolor* (St.Cloud) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

Zeuxine Lindl., Coll. Bot. App. no. 18 (1825); Orch. Scelet. 9 (1826)[*sic* 'Zeuxina'], *orth. cons.* Type species: *Pterygodium sulcatum* Roxb.

Zeuxine exilis Ridley, J. Straits Branch Roy. As. Soc. 45: 236 (1906).

Zeuxine oblonga R.S.Rogers et C.T.White, Proc. Roy. Soc. Queensland 32: 120-2, f 2 (1921).